

# Table of Contents

<b>Section</b>	<b>Page</b>
INTRODUCTION .....	I-1
ANTI-INFECTIVE AGENTS .....	1
HIV AGENTS.....	2
BIOLOGICALS .....	3
ANTINEOPLASTICS .....	3
ENDOCRINE & METABOLIC DRUGS.....	4
CARDIOVASCULAR AGENTS .....	7
RESPIRATORY AGENTS.....	9
GASTROINTESTINAL AGENTS.....	11
GENITOURINARY .....	13
CENTRAL NERVOUS SYSTEM DRUGS .....	13
ANALGESICS & ANESTHETICS.....	14
NEUROMUSCULAR AGENTS .....	15
NUTRITIONAL PRODUCTS.....	16
HEMATOLOGICAL AGENTS .....	17
BEHAVIORAL HEALTH AGENTS .....	18
TOPICAL AGENTS .....	18
MISCELLANEOUS PRODUCTS .....	21
PRIOR AUTHORIZATION GUIDELINES .....	PA-1

# Table of Contents

INDEX .....	IDX-1
-------------	-------

# ***ProCare Rx/Jai Medical Systems Managed Care Organization 2021 Therapeutic Formulary***

This formulary describes the circumstances under which pharmacies participating in a particular medical benefit program will be reimbursed for medications dispensed to patients covered by the program. This formulary does not:

- a) Require or prohibit the prescribing or dispensing of any medication.
- b) Substitute for the independent professional judgment of the physician or pharmacist.
- c) Relieve the physician or pharmacist of any obligation to the patient or others.

## **I. Non-Prescription Medication Policy**

The only over-the-counter (OTC) medications that are covered by Jai Medical Systems are listed within the program formulary. All OTC medications, with the exception of OTC emergency contraception, can be reimbursed only if it is written on a valid prescription form by a licensed prescriber. OTC emergency contraception may be obtained without a written prescription; see page 6 of the formulary for limitations.

## **II. Unapproved Use of Formulary Medication**

Medication coverage under this program is limited to non-experimental indications as approved by the FDA. Other indications, which are accepted as safe and effective by the balance of current medical opinion and available scientific evidence, may also be covered. The Pharmacy Benefits Manager (PBM), ProCare Rx, utilizing the procedures outlined in Section IV, will make decisions about reimbursement for these other indications. Experimental, investigational drugs and drugs used for cosmetic purposes are not eligible for coverage.

### **III. Prior Authorization Procedure**

To promote the most appropriate utilization of selected high risk and/or high cost medication, a prior authorization procedure has been created. The criteria for this system have been established by the ProCare Rx/Jai Medical Systems Managed Care Organization program, with input from pharmacists and physician practitioners and in consideration of the available medical literature. The Pharmacy and Therapeutics Committee will have final approval responsibility for this list. In order for a dispensed prior authorization medication to be reimbursed to the pharmacy, the patient's prescribing physician must apply for pre-authorization for a specific patient and drug. The physician may phone or fax the PBM to initiate a request for prior authorization:

**ProCare Rx  
Prior Authorization Desk  
1267 Professional Parkway  
Gainesville, Georgia 30507  
(800) 555-8513  
(800) 583-6010 (fax)**

**Please have patient information, including member ID number, complete diagnosis, medication history, and current medications readily available. Special request forms are required for Hepatitis C treatments and for opioids. All forms can be found online at [www.jaimedicalsystems.com/providers/pharmacy/](http://www.jaimedicalsystems.com/providers/pharmacy/).**

A completed, signed prior authorization form is needed in order for a request to be approved, but providers may call the ProCare Rx Prior Authorization department for prior authorization request forms and for help with the prior authorization request process. These phone lines are dedicated to physicians making requests for prior authorization medication and non-formulary items. Members cannot be assisted if they call the prior authorization toll-free number, but they may call the ProCare Rx Customer Service Department at 800-213-5640 for help getting a prior authorization form faxed to their provider. For all requests for drugs requiring prior authorization, a decision will be provided within 24 hours of receiving the request. That decision will be to either approve, deny, or request more information. The requesting provider will receive a telecommunication response informing them of this decision. If the requested information is not received, this process could take up to 14



Appropriate documentation must be provided to support the request. For all requests for drugs requiring prior authorization, a decision will be provided within 24 hours of receiving the request. That decision will be either to approve, deny, or request more information. The requesting provider will receive a telecommunication response informing them of this decision. If the requested information is not received, this process could take up to 14 calendar days. Approval of non-formulary items will be considered based upon Medicaid HealthChoice Benefit Coverage and any applicable criteria sourced or developed by the Pharmacy and Therapeutics Committee of Jai Medical Systems Managed Care Organization and the PBM.

Physicians are expected to comply with this formulary when prescribing medication for those patients covered by the Jai Medical Systems Managed Care Organization plan. If a pharmacist receives a prescription for a non-formulary medication, the pharmacist should attempt to contact the prescribing physician to request a change to a product included in this formulary guide.

The pharmacy will not be reimbursed for non-formulary medications.

**In an emergency situation outside of the PBM’s regular business hours where the physician cannot be contacted, the pharmacist is authorized to dispense a 72-hour emergency supply of a medication, unless the medication is classified as a DESI, LTE, or specifically excluded drug category (see Section VI) product or is one of the treatments for Hepatitis C, which should not be dispensed until the member has prior authorization to begin treatment.**

**The pharmacist should contact the PBM’s Help Desk at (800) 213-5640 to arrange for reimbursement for the emergency supply.**

#### **V. Newly Marketed Products**

Standard medications will be reviewed for coverage decisions within 180 calendar days of FDA approval. Priority medications will be reviewed for coverage decisions within 90 calendar days of FDA approval. Newly marketed drug products will not normally be placed on the formulary during their first year on the market. Exceptions to this rule will be made on a case-by-case basis using the medical necessity procedure.

## **VI. Specific Exclusions**

The following drug categories are not part of the Jai Medical Systems Managed Care Organization formulary and are not covered by the 72-hour emergency supply reimbursement policy:

- Antiobesity products
- Blood and blood plasma
- Cosmetic drugs
- Cough and cold products (except those listed in the formulary)
- DESI drugs
- Diagnostic products (except those listed in the formulary)
- Erectile/sexual dysfunction agents
- Medical supplies and durable medical equipment (except certain diabetic supplies)
- Most vitamins (except those listed in the formulary)
- Nutritional and dietary supplements
- Research drugs
- Topical minoxidil

## **VII. Fee-for-Service Carve-outs**

In addition to the above exclusions, the following are also excluded from the formulary and are covered by the Maryland Department of Health:

- Mental health drugs (refer to Section VIII). A list of Mental Health medications can be found online at:  
[https://mmcp.health.maryland.gov/pap/docs/Mental Health Formulary.pdf](https://mmcp.health.maryland.gov/pap/docs/Mental%20Health%20Formulary.pdf)
- Substance use disorder medications, including, but not limited to, buprenorphine, buprenorphine/naloxone, Campral®, Chantix®, Revia®, naloxone, Nicotrol®, nicotine patches, gum, and lozenges. (Refer to Section VIII). A list of substance use disorder medications is available online at:  
[https://mmcp.health.maryland.gov/pap/docs/Substance Use Disorder Medication Clinical Criteria Final updated Aug2018.pdf](https://mmcp.health.maryland.gov/pap/docs/Substance%20Use%20Disorder%20Medication%20Clinical%20Criteria%20Final%20updated%20Aug2018.pdf)

## **VIII. Behavioral Health Medication Policy**

Please refer to the Maryland Department of Health's Mental Health Formulary for a complete listing of behavioral health medications. Any behavioral health medications that are covered by Jai Medical Systems Managed Care Organization are listed in the prescription formulary.

- Kapvay – For recipients 6 -17 years old, Kapvay is part of the mental health formulary and billed fee-for-service. For individuals not in this age range, Kapvay continues to be a part of the MCO pharmacy benefit, and would require prior authorization.
- Intuniv – For recipients 6 -17 years old, Intuniv is part of the mental health formulary and billed fee-for-service. For individuals not in this age range, Intuniv continues to be a part of the MCO pharmacy benefit, and would require prior authorization.

## **IX. Mandatory Generic Substitution & Therapeutic Interchange**

Generic substitution is mandatory when a generic equivalent is available, unless the brand is specified as the preferred medication on the formulary. All branded products that have 3 or more generic equivalents available will be reimbursed at the maximum allowable cost. No other therapeutic interchange is permitted.

## **X. Specialty Medications**

Specialty medications will be covered under the pharmacy benefit for Jai Medical Systems. All requests will undergo prior authorization review when available drug-specific prior authorization criteria will apply. When prior authorization criteria do not exist, the request will be reviewed for FDA approved indications according to Jai Medical Systems' approved medical necessity review process. All specialty drug requests should contain the following:

- Drug name, strength, dose, and quantity requested
- Diagnosis for use
- Any previous drug therapies tried and failed, or why medications on the drug list are not appropriate
- Any additional clinical information pertinent to the drug review



## **XI. High Cost Low Utilization Medications**

In accordance with the Maryland Department of Health’s High Cost, Low Volume Drug Risk Mitigation Policy and the Social Security Act 1927 (d)(5), Jai Medical Systems **will not pay** for any of the aforementioned high cost drugs that are not appropriately pre-certified by Jai Medical Systems. The current list of NDCs and J-Codes Covered by High Cost Low Volume Risk Mitigation Policy:

Drug Name	NDC Code	J Code (if applicable)
Actimmune	75987011111	
Actimmune	42238011112	
Cinryze	42227008105	J0598
Novoseven	00169720101	
Orfadin	66658020490	J8499
Ravicti	75987005006	
Revcovi	57665000201	J3590, J3490
Soliris	25682000101	J1300
Vimizim	68135010001	J1322
Spinraza	64406005801	J2326
Zolgensma	see list below *	J3590

\*Zolgensma NDC List: 71894011001, 71894011501, 71894012002, 71894012103, 71894012203, 71894012303, 71894012404, 71894012504, 71894012604, 71894012705, 71894012805, 71894012905, 71894013006, 71894013106, 71894013307, 71894013407, 71894013507, 71894013608, 71894013708, 71894013808, 71894013909, 71894014009, 71894014109

Our health plan will not conduct any retrospective review for these drugs; they must be pre-certified and approved by our plan beforehand. Please be advised that this policy includes both Physician Administered Drugs and retail pharmacy drugs.

Please be advised that this list is subject to change. If you are unsure of whether or not a medication requires prior authorization and/or pre-certification, please contact our Utilization Management Department at 1-888-JAI-1999.

## **XII. General Parameters**

- Valid DEA and NPI numbers are required.
- Refill too soon - 75% of the days supplied must elapse before the prescription can be refilled. For opioid medications, 85% of the days supplied must have elapsed before the prescription can be refilled.
- The standard maximum allowable quantity is a 30-day supply. The allowed quantity limit for formulary asthma controller medications is a 90-day supply. The quantity limit on most medications is a 400-unit maximum limit per month. Most narcotics have individualized quantity and dosage form limitations, which are listed on page 16 of the formulary. If necessary, a healthcare provider may request a quantity override by contacting ProCare Rx's Prior Authorization Department. Even with an override, the quantity may not exceed a 100-day supply, except for contraceptives as described below. Opioid prescriptions cannot exceed a 30-day supply.
- Contraceptives will be available in up to 12-month supplies when ordered by a qualified practitioner.
- All generic oral contraceptives (including emergency contraceptives) and brand oral contraceptives that do not have a generic version available are formulary. Examples are listed on pages 6 and 7.
- A current listing of HIV medications covered by Jai Medical Systems are listed on page 3.
- Requests for Hepatitis C treatment or for opioid medications require special forms. All pharmacy prior authorization request forms can be found online at:  
<http://www.jaimedicalsystems.com/providers/pharmacy/>.
- Prior authorization is required for all extended release opioid products as well as methadone prescribed for pain and any other opioids prescribed for quantities greater than 90 MMEs. A specialized form is required for these requests and can be found online at  
<http://www.jaimedicalsystems.com/providers/pharmacy/>.
- Prior authorization requests for medications for the treatment of Hepatitis C require a special prior authorization request form. While they still require prior authorization, Jai Medical Systems prefers Mavyret, Zepatier, generic Harvoni, and generic Epclusa unless they are not medically appropriate. These forms and prior authorization criteria can be found at

<http://www.jaimedicalsystems.com/providers/pharmacy/>.

- Vacation fill overrides may be requested by contacting Jai Medical Systems at 1-800-524-1999. Information from the prescribing doctor or primary care provider may be required before the request can be approved.
- Overrides for lost or stolen prescriptions may be requested by contacting Jai Medical Systems at 1-800-524-1999. Information from the prescribing doctor or primary care provider may be required before the request can be approved. Requests for lost/stolen/vacation overrides for opioids are not generally available.

### **XIII. Where to Call?**

#### **PHYSICIANS**

Formulary Questions:

ProCare Rx (800) 555-8513

Medical Necessity:

ProCare Rx (800) 555-8513

Prior Authorization:

ProCare Rx (800) 555-8513

Provider Relations:

Jai Medical Systems

Managed Care Organization, Inc. (888) JAI-1999

#### **PHARMACISTS**

Provider Network Questions:

ProCare Rx (800) 213-5640

Provider Relations:

ProCare Rx (800) 213-5640

#### **XIV. Abbreviations**

Providers are encouraged to prescribe generically available drugs whenever possible and to prescribe first-line lower cost options when appropriate. Drugs are ranked by cost with the following abbreviations:

*	=	This product has a MAC price attached to some or all strengths.
\$	=	Cost per Rx is <\$20
\$\$	=	Cost per Rx is <\$40
\$\$\$	=	Cost per Rx is \$40 - \$80
\$\$\$\$	=	Cost per Rx is \$80 - \$160
\$\$\$\$\$	=	Cost per Rx is >\$160

#### **XV. Reference**

The formulary is available online at Formulary Navigator. This is updated monthly and will have the most up-to-date information. Formulary access is free and available at: [http://www.marylandmedicaidpharmacyinformation.com/formulary\\_navigator.htm](http://www.marylandmedicaidpharmacyinformation.com/formulary_navigator.htm)

Links to pdf copies of the most recent printed versions of all Maryland Medicaid Managed Care Organization’s formularies can be found on the website listed below:

<http://www.marylandmedicaidpharmacyinformation.com/MCOInfo.htm>

A link to a pdf copy of the Jai Medical Systems formulary and copies of our recent formulary change notices is also available in the Providers section of our homepage:

<http://www.jaimedicalsystems.com/providers/pharmacy/>

#### **XVI. Copays**

Currently, there is no copay for active members of Jai Medical Systems Managed Care Organization, Inc.’s HealthChoice Program. Copays may be charged for medications covered directly by Maryland Medicaid (refer to Section VII. Fee-for-Service Carve-Outs.)

#### **XVII. Prior Authorization Auto-Renewal**

Jai Medical Systems offers automatic prior authorization renewals for Advair and Symbicort. For members with a current approved prior

authorization, claims will continue to process as long as the member has filled for that medication within the last 4 months. No yearly renewal will be needed for compliant members. Prior authorization will be required for members new to the plan, new to therapy, or with no claim history of that medication within the last 4 months.

## **XVIII. Notice of Non-Discrimination**

Jai Medical Systems Managed Care Organization, Inc. complies with applicable Federal civil rights laws and does not discriminate on the basis of language, age, race, color, sex, sexual orientation, national origin, disability, medical condition, or religion against members, contracted providers, staff, and/or non-affiliated individuals. This includes women, individuals of minority and non-minority groups, individuals of the LGBT community, individuals with disabilities, and/or members with limited English proficiency. Jai Medical Systems Managed Care Organization, Inc. does not exclude people or treat them differently because of language, age, race, color, sex or sexual orientation, national origin, disability, medical condition, or religion.

To ensure effective communication for individuals with disabilities, Jai Medical Systems Managed Care Organization, Inc. shall:

- Provide equal access to auxiliary aids and services as necessary for individuals with disabilities, in accordance with applicable law.
- Include taglines for language accessibility in top 15 languages on the website, and in larger significant publications and significant communications.
- Include taglines for language accessibility in two popular languages in significant publications including Member Handbook, and significant communications.
- Provide free language assistance and interpretation services for members with limited English proficiency to communicate effectively.
- Provide free sign language interpretation for members with hearing disabilities.
- Provide free oral language assistance and written translation through Jai Medical Systems Managed Care Organization, Inc.'s multilingual staff, oral interpreters, and translators.

If you need these services, contact our Non-Discrimination Compliance Coordinator at [monisha.kota@jaimedical.com](mailto:monisha.kota@jaimedical.com). Additionally, information is made available in languages other than English upon request.

### **XIX. Equal Employment Opportunity Statement**

Jai Medical Systems Managed Care Organization, Inc. provides equal employment opportunity for everyone regardless of language, age, sex, color, creed, national origin, pregnancy, ancestry, marital status, political belief, genetic information, and physical or mental disability that does not prohibit performance of essential job functions. In addition, Jai Medical Systems Managed Care Organization, Inc. complies with Section 1557 of the Affordable Care Act, all applicable federal, state, and local anti-discrimination laws. This policy is reflected in all of Jai Medical Systems Managed Care Organization, Inc.'s practices and policies regarding hiring, training, promotions, transfers, rates of pay, layoffs, and other forms of compensation. All matters relating to employment are based upon ability to perform the job, as well as dependability and reliability once hired.

If you believe that Jai Medical Systems Managed Care Organization, Inc. has failed to provide these services or discriminated on the basis of language, age, race, color, sex or sexual orientation, national origin, disability, medical condition, or religion, you can file a grievance with:

Monisha Priya Kota, Non-Discrimination Compliance Coordinator  
Jai Medical Systems Managed Care Organization, Inc.  
301 International Circle, Hunt Valley, MD 21030  
Phone: 410-433-2200 | Fax: 410-433-4615 |  
Email: [monisha.kota@jaimedical.com](mailto:monisha.kota@jaimedical.com)

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, our Non-Discrimination Compliance Coordinator is available to help you. Grievances must be submitted to the Coordinator within sixty days of the date you become aware of the alleged discrimination.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through

the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, and by mail or phone at:

U.S. Department of Health and Human Services,  
200 Independence Avenue, SW Room 509F, HHH Building  
Washington, D.C. 20201  
Phone: 1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at:  
<http://www.hhs.gov/ocr/office/file/index.html>

**XX. Language Accessibility Statement**

**Interpreter Services are Available for Free**  
**Help is available in your language:**  
**1-888-524-1999 (TTY: 1-800-735-2258).**  
**These services are available for free.**

**中文/Chinese**

用您的语言为您提供帮助：1-888-524-1999 (TTY: 1-800-735-2258)  
的这些服务都是免费的

**فارسی/Farsi**

ماسټ خط) 1-800-735-2258 دی کونیم تبصیح ماش که یباز هب مک ن تلف خط  
(ناشنوا افراد) 1999-524-888-1

رسم س ددر ن گه یرا فر ص ه ب فسخ خ ن یا

ن م س

**Español/Spanish**

Hay ayuda disponible en su idioma: 1-888-524-1999 (TTY: 1-800-735-2258). Estos servicios están disponibles gratis.

**አማርኛ/Amharic**

አገዛዥ ቋንቋዎ ማግኘት ይችላሉ:-: 1-888-524-1999 (TTY:

1-800-735-2258): እነዚህ አገልግሎቶች ያለክፍያ የሚገኙ ነጻናቸው

**العربى/Arabic**

1-888-524-1999 (1-800-735-2258) للمعاقين سمعياً

المساعدة متوفرة في لغتك: اتصل على الرقم

ذو خله جرت خم فسخه الم ا

**Français/French**

Vous pouvez disposer d'une assistance dans votre langue : 1-888-524-1999 (TTY: 1-800-735-2258). Ces services sont disponibles pour gratuitement.

**ગજી રાતી/Gujarati**

તમારી ભાષામાં મદદ ઉપલબ્ધ છે: 1-888-524-1999 (ટીટીવાય: 1-800-735-2258). સેવાઓ મફત ઉપલબ્ધ છે

**kreyòl ayisyen/Haitian Creole**

Gen èd ki disponib nan lang ou: 1-888-524-1999 (TTY: 1-800-735-2258). Sèvis sa yo disponib gratis.

**Igbo**

Enyemaka di na asusu gi: 1-888-524-1999 (TTY: 1-800-735-2258). Oru ndi a di na enweghi ugwo i ga akwu maka ya.

**한국어/Korean**

사용하시는 언어로 지원해드립니다: 1-888-524-1999 (TTY: 1-800-735-2258). 무료로 제공 됩니다

**Português/Portuguese**

A ajuda está disponível em seu idioma: 1-888-524-1999 (TTY: 1-800-735-2258). Estes serviços são oferecidos de graça.

**Русский/Russian**

Помощь доступна на вашем языке: 1-888-524-1999 (TTY: 1-800-735-2258). Эти услуги предоставляются бесплатно.

**Tagalog**

Makakakuha kayo ng tulong sa iyong wika: 1-888-524-1999 (TTY: 1-800-735-2258). Ang mga serbisyon ito ay libre.

**Urdu/اردو**

1-800-735-2258 (ٹی ٹی وائی): 1-888-524-1999 آپ کی زبان میں مدد دستیاب ہے: 1-888-524-1999  
 ریڈ ہاپوٹ سے ذرا سے کٹھن مامدخ

**Tiếng Việt/Vietnamese**

Hỗ trợ là có sẵn trong ngôn ngữ của quý vị 1-888-524-1999 (TTY: 1-800-735-2258). Những dịch vụ này có sẵn miễn phí.

**Yorùbá/Yoruba**

Iranlò wo wà ni arò wò tó ní èdè rẹ: 1-888-524-1999 (TTY: 1-800-735-2258). Awon ise yi wa fun o free.



**I. ANTI-INFECTIVE AGENTS**

**PENICILLINS**

\$ Amoxicillin*	AMOXIL	<i>no chewables</i>
\$ Ampicillin*	AMPICILLIN	
\$ Penicillin G Benzathine	BICILLIN	
\$ Penicillin V Potassium*	PENICILLIN V POTASSIUM	

*Penicillinase-resistant*

\$ Dicloxacillin Sodium*	DICLOXACILLIN SODIUM	
\$ Oxacillin*	OXACILLIN	
\$ Cloxacillin Sodium*	CLOXACILLIN SODIUM	

**Prior Authorization Required**

*Penicillin Combinations*

\$\$\$ Amox & K Clavulanate*	AUGMENTIN	<i>no chewables</i>
------------------------------	-----------	---------------------

**CEPHALOSPORINS**

*Cephalosporins - 1st Generation*

\$\$ Cephalexin*	KEFLEX	<i>no tablets</i>
\$\$ Cephradine*	CEPHRADINE	

*Cephalosporins - 2nd Generation*

\$\$ Cefaclor*	CEFACTOR	
\$\$\$ Cefprozil*	CEFPROZIL	
\$\$\$ Cefuroxime*	CEFTIN	<i>oral tablets only</i>
\$\$\$ Loracarbef	LORABID SUSPENSION	<i>covered for children</i>

*Cephalosporins - 3rd Generation*

\$ Cefixime	SUPRAX	<i>QL = 1 tab</i>
\$\$\$ Ceftriaxone*	ROCEPHIN	
\$\$\$ Cefdinir*	CEFDINIR	

**MACROLIDE ANTIBIOTICS**

*Erythromycins*

\$ Erythromycin Base*	ERY-TAB	
\$ Erythromycin Estolate*	ERYTHROMYCIN ESTOLATE	
\$ Erythromycin Ethylsuccinate*	E.E.S.	
\$ Erythromycin Stearate*	ERYTHROCIN	

*Lincomycins*

\$\$ Clindamycin*	CLEOCIN	
-------------------	---------	--

*Misc. Macrolide Antibiotics*

\$\$ Azithromycin*	ZITHROMAX	
\$\$\$ Azithromycin suspension*	ZITHROMAX	<i>QL = 1 single dose</i>
\$\$\$ Clarithromycin*	BIAXIN	<i>packet</i>

**TETRACYCLINES**

\$\$\$ Doxycycline*	VIBRAMYCIN	
\$ Tetracycline*	SUMYCIN	<i>no tablets</i>

**FLUOROQUINOLONES**

\$\$\$ Ciprofloxacin*	CIPRO	
\$\$\$\$ Levofloxacin*	LEVAQUIN	
\$\$\$\$ Moxifloxacin*	AVELOX	<i>QL 14 per 30 days</i>

**Prior Authorization Required**

**ANTIMALARIAL**

\$ Chloroquine*	ARALEN	<i>no 500mg tabs</i>
\$ Hydroxychloroquine*	PLAQUENIL	
\$ Pyrimethamine	DARAPRIM	

**ProCare/Jai Medical Systems Therapeutic Formulary**

<u>Generic Name</u>	<u>Brand Name</u>	<u>Annotation</u>
---------------------	-------------------	-------------------

**ANTHELMINTIC**

\$\$ Albendazole	ALBENZA	
\$\$ Ivermectin*	STROMECTOL	tablets only
\$\$ Pyrantel Pamoate*	PIN - X	OTC product

**AMINOGLYCOSIDES**

\$ Gentamicin Sulfate*	GARAMYCIN	
\$ Neomycin Sulfate*	NEOMYCIN	tablets only

**SULFONAMIDES**

\$ Erythromycin/Sulfisoxazole*	ERYTHROMYCIN/SULFISOXAZOLE	
\$ Sulfadiazine*	SULFADIAZINE	
\$ Sulfasalazine*	AZULFIDINE	no EN tabs
\$ Sulfisoxazole*	SULFISOXAZOLE	
\$ Trimethoprim/Sulfamethoxazole*	BACTRIM / DS	

**ANTIMYCOBACTERIAL AGENTS**

\$\$\$\$ Cycloserine	SEROMYCIN	
\$\$\$ Ethambutol*	MYAMBUTOL	
\$\$\$ Ethionamide	TRECATOR	
\$ Isoniazid*	ISONIAZID	
\$\$\$ Pyrazinamide*	PYRAZINAMIDE	
\$\$\$\$ Rifabutin*	MYCOBUTIN	
\$\$\$\$ Rifampin*	RIFADIN	

**MISC. ANTIINFECTIVES**

\$ Metronidazole*	FLAGYL	
\$ Trimethoprim*	TRIMETHOPRIM	
\$\$ Chlorhexidine*	PERIOGARD	0.12% oral rinse

*Leprostatics*

\$ Dapsone*	DAPSONE	
-------------	---------	--

**ANTIFUNGALS**

\$ Griseofulvin Microsize*	GRIFULVIN V	
\$ Griseofulvin Ultramicrosize*	GRIS-PEG	
\$ Nystatin*	NYSTATIN TAB	

*Imidazole-Related Antifungals*

\$ Ketoconazole*	NIZORAL	
\$ Miconazole*	MONISTAT	OTC product
\$\$ Terbinafine*	LAMISIL	

\$\$ Itraconazole*	SPORANOX	
--------------------	----------	--

**Prior Authorization Required**

*Triazoles*

\$ Fluconazole*	DIFLUCAN	
-----------------	----------	--

*150mg x2 tablets/month is formulary. Authorization required for higher quantity or other strengths*

**Prior Authorization Required**

**ANTIVIRAL**

*Neuraminidase Inhibitors*

\$\$ Oseltamivir Phosphate	TAMIFLU	QL=1 course of treatment per calendar year
\$\$ Zanamivir	RELENZA	QL=1 course of treatment per calendar year

*CMV Agents*

\$\$\$\$ Ganciclovir*	CYTOVENE	
-----------------------	----------	--

**ProCare/Jai Medical Systems Therapeutic Formulary**

<u>Generic Name</u>	<u>Brand Name</u>	<u>Annotation</u>
---------------------	-------------------	-------------------

*Hepatic Agents*

\$\$\$\$\$ Lamivudine HBV	EPIVIR	
\$\$\$\$\$ Elbasvir-Grazoprevir	ZEPATIER	<i>Preferred for types 1,4</i>
\$\$\$\$\$ Glecaprevir-Pibrentasvir	MAVYRET	<i>Preferred all types</i>
\$\$\$\$\$ Sofosbuvir-Velpatasvir*	GENERIC EPCLUSA	<i>Preferred all types</i>
\$\$\$\$\$ Sofosbuvir-Velpatasvir-Voxilaprevir	VOSEVI	<i>Retreatment only</i>
\$\$\$\$\$ Peginterferon	PEG-INTRON, PEGASYS	
\$\$\$\$\$ Ribavirin*	REBETOL	
\$\$\$\$\$ Ledipasvir-Sofosbuvir*	GENERIC HARVONI	<i>Preferred for 1,4,5,6</i>
<b>**Special PA forms required. Please see <a href="http://www.jaimedicalsystems.com/providers/pharmacy">www.jaimedicalsystems.com/providers/pharmacy</a> for forms and full Maryland Medicaid prior authorization criteria.**</b>		

*Herpes Agents*

\$\$ Amantadine*	AMANTADINE	
\$\$\$ Acyclovir*	ZOVIRAX	<i>PA for ointment &amp; susp.</i>

*HIV Agents*

\$\$\$\$\$ Abacavir	ZIAGEN	<i>QL = 60 tabs / month</i>
\$\$\$\$\$ Epzicom	ABACAVIR-LAMIVUDINE	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Trizivir	ABACAVIR-LAMIVUDINE-ZIDOV T	<i>QL = 60 tabs / month</i>
\$\$\$\$\$ Atazanavir Sulfate	REYATAZ	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Efavirenz / Emtricitabine / Tenofovir	GENERIC ATRIPLA	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Biktarvy	BIKTARVY	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Complera	COMPLERA	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Sustiva	EFAVIRENZ	<i>QL = 60 tabs / month</i>
\$\$\$\$\$ Atazanavir and Cobicistat	EVOTAZ	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Genvoya	GENVOYA	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Etravirine	INTELENCE	<i>QL = 60 tabs / month</i>
\$\$\$\$\$ Raltegravir	ISENTRESS	<i>QL = 60 tabs / month</i>
\$\$\$\$\$ Juluca	JULUCA	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Lopinavir / Ritonavir	KALETRA	<i>QL = 120 tabs / month</i>
\$\$\$\$\$ Lamivudine	EPIVIR	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Lamivudine-Zidovudine	COMBIVIR	<i>QL = 60 tabs / month</i>
\$\$\$\$\$ Odefsey	ODEFSEY	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Darunavir and Cobicistat	PREZCOBIX	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Darunavir Ethanolate	PREZISTA	<i>QL = 60 tabs / month</i>
\$\$\$\$\$ Atazanavir	REYATAZ	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Stribild	STRIBILD	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Symtuza	SYMTUZA	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Emtricitabine / Tenofovir	GENERIC TRUVADA	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Emtricitabine / Tenofovir Alafenamide	GENERIC DESCOVY	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Tenofovir	VIREAD	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Dolutegravir	TIVICAY	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Dolutegravir, Abacavir, and Lamivudine	TRIUMEQ	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Zidovudine	RETROVIR	<i>QL = 60 tabs / month</i>
\$\$\$\$\$ Fosamprenavir	LEXIVA	<i>QL = 60 tabs / month</i>
\$\$\$\$\$ Ritonavir	NORVIR	<i>QL = 30 tabs / month</i>
\$\$\$\$\$ Nevirapine	VIRAMUNE	<i>QL = 60 tabs / month</i>
\$\$\$\$\$ Stavudine	ZERIT	<i>QL = 60 tabs / month</i>

## II. BIOLOGICALS

### ANTISERA

*Antiviral Monoclonal Antibodies*

\$\$\$\$\$ Palivizumab	SYNAGIS	
<b>Prior Authorization Required</b>		

## III. ANTINEOPLASTICS

### ANTINEOPLASTICS

*Alkylating Agents*

\$\$\$\$\$ Busulfan	MYLERAN	
---------------------	---------	--

*Nitrogen Mustards*

\$\$\$\$\$ Chlorambucil	LEUKERAN	
\$\$\$\$\$ Cyclophosphamide*	CYTOXAN	
\$\$\$\$\$ Melphalan	ALKERAN	

**ProCare/Jai Medical Systems Therapeutic Formulary**

<u>Generic Name</u>	<u>Brand Name</u>	<u>Annotation</u>
---------------------	-------------------	-------------------

<i>Nitrosoureas</i>		
\$\$\$\$ Lomustine	LOMUSTINE	
<i>Antimetabolites</i>		
\$\$\$\$ Capecitabine*	XELODA	
\$\$\$ Fluorouracil*	EFUDEX	2% and 5% cream only
\$\$\$\$ Mercaptopurine*	PURINETHOL	
\$\$\$ Methotrexate*	RHEUMATREX	
\$\$\$\$ Thioguanine	TABLOID	
<i>Progestins-Antineoplastic</i>		
\$\$\$ Megestrol*	MEGACE	Tabs & Oral Susp
<i>Antiandrogens</i>		
\$\$\$\$ Flutamide*	FLUTAMIDE	
<i>Aromatase Inhibitors</i>		
\$\$\$\$ Letrozole*	FEMARA	
\$\$\$\$ Anastrozole*	ARIMIDEX	
\$\$\$ Exemestane*	AROMASIN	
<i>Antineoplastic Hormones Misc.</i>		
\$\$\$\$ Bicalutamide*	CASODEX	
\$\$\$ Tamoxifen*	TAMOXIFEN	
\$\$\$\$ Leuprolide	LUPRON	
<b>Prior Authorization Required</b>		
<i>Mitotic Inhibitors</i>		
\$\$\$ Etoposide*	ETOPOSIDE	
<i>Antineoplastics Misc.</i>		
\$\$\$\$ Afatinib Dimaleate	GILOTRIF	
\$\$\$\$ Erlotinib	TARCEVA	
\$\$\$ Hydroxyurea*	HYDREA	
\$\$\$\$ Mitotane	LYSODREN	
\$\$\$\$ Procarbazine	MATULANE	
\$\$\$\$ Sorafenib	NEXAVAR	
\$\$\$\$ Interferon Alfa-2A	ROFERON-A	
\$\$\$\$ Interferon Alfa-2B	INTRON-A	
\$\$\$\$ Interferon Alfa-n3	ALFERON N	
\$\$\$\$ Interferon Beta-1a	AVONEX	
\$\$\$\$ Interferon Beta-1a	REBIF	
\$\$\$\$ Interferon Beta-1b	BETASERON	
\$\$\$\$ Glatiramer acetate	COPAXONE	
<b>Prior Authorization Required</b>		

#### IV. ENDOCRINE & METABOLIC DRUGS

##### CORTICOSTEROIDS

<i>Glucocorticosteroids</i>		
\$ Cortisone*	CORTISONE	
\$ Dexamethasone*	DEXAMETHASONE	no dose paks
\$ Hydrocortisone*	CORTEF	
\$ Methylprednisolone*	MEDROL	tabs & dose paks
\$ Prednisone*	PREDNISONE	
\$ Prednisolone*	PRELONE	
\$\$ Prednisolone Na Phosphate*	PEDIAPRED	
\$\$ Prednisolone Na Phosphate*	ORAPRED	
\$ Prednisolone Acetate	FLO-PRED	
<i>Mineralocorticoids</i>		
\$ Fludrocortisone*	FLUDROCORTISONE	

##### ANDROGEN-ANABOLIC

<i>Androgens</i>		
\$\$\$ Methyltestosterone	ANDROID	
\$\$\$ Danazol*	DANAZOL	
\$\$\$ Testosterone Gel	ANDROGEL, TESTIM	
<b>Prior Authorization Required</b>		

**ProCare/Jai Medical Systems Therapeutic Formulary**

<u>Generic Name</u>	<u>Brand Name</u>	<u>Annotation</u>
---------------------	-------------------	-------------------

**ESTROGENS**

\$ Estradiol*	ESTRACE	
\$\$ Esterified Estrogens	MENEST	
\$\$ Estrogens, Conjugated	PREMARIN	
\$\$\$ Estradiol TD Patch*	CLIMARA	
<i>Estrogen Combinations</i>		
\$\$ Conjugated Estrogens & Medroxyprogesterone	PREMPRO	

**CONTRACEPTIVES**

\*\*\*All generic oral contraceptives are formulary\*\*\*

*Progestin*

\$\$\$ Norethindrone*	NOR-QD, ORTHO MICRON	<i>Females only</i>
\$\$ Norethindrone*	Lyleq	<i>Females only</i>

*Combinations*

\$\$ Desogestrel & Ethinyl Estradiol*	DESOGEN, ORTHO-CEPT	<i>Females only</i>
\$\$ Drospirenone-Ethinyl Estradiol*	YASMIN, YAZ	<i>Females only</i>
\$\$ Drospirenone-Eth Estrad Levomefolate	SAFYRAL, BEYAZ	<i>Females only</i>
\$\$ Ethynodiol Diacet-Eth Estrad*	ZOVIA	<i>Females only</i>
\$\$\$ Etonogestrel-Ethinyl Estradiol	NUVARING	QL= 1 ring / month
\$\$\$ Etonogestrel-Ethinyl Estradiol	ELURYNG	QL= 1 ring / month
		<i>Females only</i>
\$\$ Levonorgestrel & Ethinyl Estradiol*	NORDETTE, AVIANE, ICLEVIA	<i>Females only</i>
\$\$ Norethindrone-Ethinyl Estradiol*	MODICON, BREVICON	<i>Females only</i>
\$\$ Norethindrone Ace-Ethinyl Estrad*	LOESTRIN	<i>Females only</i>
\$\$ Norgestrel-Ethinyl Estradiol*	CRYSSELLE, OGESTREL	<i>Females only</i>
\$\$ Norgestimate-Ethinyl Estradiol*	ORTHO-CYCLEN	<i>Females only</i>
\$\$ Norethindrone & Ethinyl Estrad FE*	FEMCON FE	<i>Females only</i>
\$\$ Norethindrone Ace-Ethinyl Estrad FE*	LOESTRIN FE	<i>Females only</i>
\$\$\$ Norelgestromin-Ethinyl Estradiol*	ORTHO EVRA PATCH	<i>Females only</i>

*Biphasic*

\$\$ Desogest-Eth Estrad & Eth Estrad	MIRCETTE	<i>Females only</i>
\$\$ Norethindrone-Mestranol	NORINYL, NECON	<i>Females only</i>
\$\$ Norethindrone-Ethinyl Estradiol FE	LO LOESTRIN FE	<i>Females only</i>

*Triphasic*

\$\$ Desogest-Ethin Est*	CYCLESSA	<i>Females only</i>
\$\$ Levonorgestrel-Eth Estradiol*	TRIVORA	<i>Females only</i>
\$\$ Norethindrone-Ethinyl Estradiol*	ORTHO NOVUM 7/ 7/ 7	<i>Females only</i>
\$\$ Norgestimate-Ethinyl Estradiol*	ORTHO TRI-CYCLEN / LO	<i>Females only</i>
\$\$\$ Norethindrone Ac-Ethinyl Estrad FE*	ESTROSTEP FE	<i>Females only</i>
\$ Norethindrone-Ethinyl Estradiol*	Nylia 7/7/7	<i>Females only</i>
\$\$ Norethindrone-Ethinyl Estradiol*	Tri-Nymyo	<i>Females only</i>

*Four Phase*

\$\$ Estradiol Valerate-Dienogest	NATAZIA	<i>Females only</i>
-----------------------------------	---------	---------------------

*Extended*

\$\$ Levonorgestrel-Ethinyl Estradiol*	SEASONIQUE,QUARTETTE LOSEASONIQUE	<i>Females only</i>
--	--------------------------------------	---------------------

*Continuous*

\$\$ Levonorgestrel-Ethinyl Estradiol	AMETHYST	<i>Females only</i> <i>Females only</i>
---------------------------------------	----------	--

**PROGESTINS**

\$\$\$\$ Hydroxyprogesterone	MAKENA	<i>Special prescription form from manufacturer</i>
\$ Medroxyprogesterone*	PROVERA	<i>tabs only / females only</i>
\$\$\$ Medroxyprogesterone Acetate	DEPO-PROVERA DEPO-SQ PROVERA 104	<i>Females only</i>
\$ Norethindrone Acetate*	AYGESTIN	<i>Females only</i>

**EMERGENCY CONTRACEPTIVE**

\$\$ Levonorgestrel*	PLAN B ONE STEP PLAN B	<i>1 kit / month / 3 kits / yr</i> <i>Females only</i> <i>No prescription required for OTC formulation</i>
----------------------	---------------------------	--

**ProCare/Jai Medical Systems Therapeutic Formulary**

<u>Generic Name</u>	<u>Brand Name</u>	<u>Annotation</u>
---------------------	-------------------	-------------------

**ANTIDIABETIC**

*Thiazolidinediones/Combination*

\$\$\$\$ Pioglitazone*	ACTOS	QL = 30 tabs / month
\$\$\$\$ Pioglitazone-Glimepiride*	DUETACT	QL = 30 tabs / month
\$\$\$ Pioglitazone-Metformin*	ACTOPLUS MET	ADMELOG
\$\$\$\$ Pioglitazone-Metformin SR	ACTOPLUS MET XR	QL = 30 tabs / month

*Human Insulin*

\$ Insulin Aspart	NOVOLOG	
\$ Insulin Isophane	HUMULIN N, NOVOLIN N	
\$ Insulin Reg & Isophane	HUMULIN 50/50	
\$ Insulin Reg & NPH	HUMULIN 70/30, NOVOLIN 70/30	
\$ Insulin Regular	HUMULIN R, NOVOLIN R	
\$ Insulin Lispro	HUMALOG, ADMELOG	
\$\$\$ Insulin Glargine	LANTUS, BASAGLAR, SEMGLEE, TOUJEO	

*Sulfonylureas*

\$\$ Glimepiride*	AMARYL	
\$\$ Glipizide*	GLUCOTROL/XL	
\$\$ Glyburide*	DIABETA, GLYNASE	

*Alpha-Glucosidase Inhibitors*

\$\$\$\$ Acarbose*	PRECOSE	QL = 90 tabs / month
<b>Prior Authorization Required</b>		

*Dipeptidyl Peptidase-4 inhibitors*

\$\$\$\$ Sitagliptin Phosphate	JANUVIA	
<b>Prior Authorization Required</b>		

*Incretin Mimetic*

\$\$\$\$ Exenatide	BYETTA	
\$\$\$\$ Liraglutide	VICTOZA	
\$\$\$\$ Dulaglutide	TRULICITY	Brand Only
<b>Prior Authorization Required</b>		

*Sodium-Glucose Cotransporter 2 Inhibitors*

\$\$\$\$ Canagliflozin	INVOKANA	
<b>Prior Authorization Required</b>		

*Meglitinides*

\$\$\$\$ Repaglinide	PRANDIN	
\$\$\$\$ Empagliflozin	JARDIANCE	
<b>Prior Authorization Required</b>		

*Diabetic Other*

\$ Metformin*	GLUCOPHAGE	
\$\$\$\$ Glucagon	GLUCAGON	
\$\$\$\$ Empagliflozin/linagliptin	GLYXAMBI	
<b>Prior Authorization Required</b>		

**THYROID**

*Thyroid Hormones*

\$ Levothyroxine*	LEVOXYL, SYNTHROID, THYQUIDITY	
\$ Liothyronine*	CYTOMEL	
\$ Thyroid*	THYROID	

*Antithyroid Agents*

\$ Methimazole*	TAPAZOLE	
\$ Propylthiouracil*	PROPYLTHIOURACIL	

**OXYTOCICS**

\$ Methylergonovine*	METHERGINE	
----------------------	------------	--

**MISC. ENDOCRINE**

*Calcium Regulators*

\$\$\$\$ Calcitonin (Salmon)	MIACALCIN INJ	
\$\$\$\$ Calcitonin (Salmon)*	MIACALCIN NASAL	
<b>Prior Authorization Required</b>		



**ANTIARRHYTHMIC**

\$\$\$ Amiodarone*	CORDARONE	
\$ Disopyramide*	NORPACE, CR	
\$\$\$ Flecainide*	TAMBOCOR	
\$ Procainamide*	PROCAINAMIDE	
\$ Quinidine Sulfate*	QUINIDINE SULFATE	
\$\$\$\$ Mexiletine*	MEXILETINE	
\$\$\$\$ Propafenone*	RYTHMOL	

**ANTIHYPERTENSIVE**

*ACE Inhibitors*

\$ Captopril*	CAPTOPRIL	
\$\$ Benazepril*	LOTENSIN	
\$\$ Enalapril*	VASOTEC	
\$\$ Fosinopril*	FOSINOPRIL	
\$\$ Lisinopril*	ZESTRIL	
\$\$ Quinapril*	ACCUPRIL	
\$\$ Ramipril*	ALTACE	

*ACE II Inhibitors*

\$\$\$\$ Irbesartan*	AVAPRO	QL = 30 tabs / month
\$\$\$ Losartan potassium*	COZAAR	QL = 30 tabs / month
\$\$\$\$ Valsartan	DIOVAN	QL = 30 tabs / month

**Prior Authorization Required**

*Adrenolytics - Central*

\$ Clonidine*	CATAPRES	AL = 18 years and over No patches
\$ Guanfacine*	TENEX	AL = 18 years and over
**Please note, extended release clonidine (Kapvay) and extended release guanfacine (Intuniv) for children ages 6-17 are covered under the mental health benefit.**		
\$ Methyldopa*	METHYLDOPA	

*Adrenolytics - Peripheral*

\$ Reserpine*	RESERPINE	
---------------	-----------	--

*Alpha Blockers*

\$\$ Doxazosin*	CARDURA	
\$ Prazosin*	MINIPRESS	
\$\$\$\$ Tamsulosin*	FLOMAX	
\$\$\$ Terazosin*	TERAZOSIN	

*Vasodilators*

\$ Hydralazine*	APRESOLINE	
\$ Minoxidil*	MINOXIDIL	Topical not covered

*Beta Blocker Combinations*

\$ Atenolol & Chlorthalidone*	TENORETIC	
\$\$\$ Metoprolol & HCTZ*	LOPRESSOR HCT	
\$ Propranolol & HCTZ*	PROPRANOLOL & HCTZ	no LA

*ACE and ACE II Inhibitors & Diazides*

\$\$\$\$ Irbesartan & HCTZ*	AVALIDE	QL = 30 tabs / month
\$\$ Lisinopril & HCTZ*	ZESTORETIC	
\$\$\$ Losartan potassium/HCTZ*	HYZAAR	QL = 30 tabs / month
\$\$\$\$ Valsartan & HCTZ*	DIOVAN HCT	QL = 30 tabs / month

*Adrenolytics-Central & Thiazides*

\$ Methyldopa & HCTZ*	METHYLDOPA & HCTZ	
\$\$ Clonidine & Chlorthalidone*	CLOPRPRES	

*Vasodilators & Thiazides*

\$ Hydralazine & HCTZ*	HYDRALAZINE & HCTZ	
------------------------	--------------------	--

**DIURETICS**

*Carbonic Anhydrase Inhibitors*

\$ Acetazolamide*	DIAMOX	no sequels
\$\$\$ Methazolamide*	METHAZOLAMIDE	



**ProCare/Jai Medical Systems Therapeutic Formulary**

<u>Generic Name</u>	<u>Brand Name</u>	<u>Annotation</u>
---------------------	-------------------	-------------------

<i>Loop Diuretics</i>		
\$ Furosemide*	LASIX	
<i>Potassium Sparing Diuretics</i>		
\$ Spironolactone*	ALDACTONE	
<i>Thiazides</i>		
\$ Chlorothiazide*	DIURIL	
\$ Chlorthalidone*	CHLORTHALIDONE	
\$ Hydrochlorothiazide*	HYDROCHLOROTHIAZIDE	
\$ Methyclothiazide*	METHYCLOTHIAZIDE	
\$ Metolazone*	ZAROXOLYN	
\$ Indapamide*	INDAPAMIDE	
<i>Combination Diuretics</i>		
\$ Spironolactone & HCTZ*	ALDACTAZIDE	
\$ Triamterene & HCTZ*	MAXZIDE	
<i>Osmotic Diuretics</i>		
\$ Glycerin Supp*	GLYCERIN	adult, infant, child

**PRESSORS**

<i>Emergency Kits</i>		
\$\$\$\$ Epinephrine	EPI-PEN, EPI-PEN JR, ADRENALICK	

**ANTHYPERLIPIDEMIC**

<i>Bile Sequestrants</i>		
\$\$\$ Cholestyramine*	QUESTRAN, LIGHT	cans only
\$\$\$ Colestipol*	COLESTID	cans only
<i>Misc.</i>		
\$ Niacin*	NIACIN	OTC (slow release)
\$ Niacin CR*	NIASPAN	
\$\$\$ Fenofibrate tablets*	LOFIBRA	54mg and 160mg
\$\$\$ Fenofibrate*	TRICOR	48mg and 145mg
\$\$ Gemfibrozil*	LOPID	
\$\$\$\$ Omega-3-acid ethyl esters*	LOVAZA	

\$\$\$\$ Fenofibrate	LIPOFEN, TRIGLIDE	
\$\$\$\$ Fenofibrate acid*	TRILIPIX	
\$\$\$\$ Fenofibrate micronized	ANTARA	
\$\$\$\$ Ezetimibe	ZETIA	
\$\$\$\$ Fenofibric Acid	FIBRICOR	
<b>Prior Authorization Required</b>		

<i>HMG CoA Reductase Inhibitors</i>		
\$\$\$\$ Amlodipine & Atorvastatin*	CADUET	
\$\$\$\$ Atorvastatin*	LIPITOR	
\$\$\$\$ Fluvastatin*	LESCOL	
\$\$ Lovastatin*	MEVACOR	
\$\$\$\$ Niacin & Lovastatin	ADVICOR	
\$ Pravastatin*	PRAVACHOL	
\$\$\$\$ Niacin-Simvastatin	SIMCOR	
\$\$\$\$ Rosuvastatin Calcium	CRESTOR	
\$\$\$ Simvastatin*	ZOCOR	
\$\$\$\$ Sacubitril & Valsartan	ENTRESTO	

\$\$\$\$ Simvastatin*	ZOCOR	80mg only
\$\$\$\$ Ezetimibe + Simvastatin	VYTORIN	
<i>PCSK9 Inhibitors</i>		
\$\$\$\$ Evolocumab	REPATHA	140MG/ML
<b>Prior Authorization Required</b>		

**VI. RESPIRATORY AGENTS**

**ANTIHISTAMINES**

<i>Antihistamines - Ethanolamines</i>		
\$ Diphenhydramine*	BENADRYL	OTC product

**ProCare/Jai Medical Systems Therapeutic Formulary**

<u>Generic Name</u>	<u>Brand Name</u>	<u>Annotation</u>
---------------------	-------------------	-------------------

*Antihistamines - Non Sedating*

\$\$ Loratadine*	ALAVERT, CLARITIN	OTC product
\$\$ Loratadine / Pseudoephedrine*	CLARITIN-D 12hr, 24hr	OTC product
\$\$ Cetirizine*	ZYRTEC	chew tabs/liquid AL ≤ 18
\$\$ Cetirizine tabs*	ZYRTEC	
\$\$ Fexofenadine*	ALLEGRA OTC, ALLEGRA SUSP, ALLEGRA ODT	30 or 60 per 30 days
\$\$ Fexofenadine / Pseudoephedrine*	ALLEGRA-D OTC 12hr, 24hr	30 or 60 per 30 days

*Antihistamines - Phenothiazines*

\$ Promethazine*	PROMETHAZINE	tabs only AL ≥ 2 years
------------------	--------------	---------------------------

**SYSTEMIC AND TOPICAL NASAL PRODUCTS**

*Nasal Antihistamines*

\$\$\$\$ Azelastine*	ASTELIN	
<b>Prior Authorization Required</b>		

*Nasal Steroids*

\$\$ Flunisolide*	NASALIDE	
\$\$ Triamcinolone*	NASACORT AQ	
\$\$\$ Fluticasone*	FLONASE	
\$\$\$\$ Mometasone furoate	NASONEX	

*Mucolytics*

\$\$ Acetylcysteine*	MUCOMYST	
----------------------	----------	--

**ANTI-ASTHMATIC**

*Anticholinergics*

\$\$ Ipratropium*	ATROVENT NASAL	
\$\$\$\$ Ipratropium	ATROVENT HFA	
\$\$\$\$ Tiotropium	SPIRIVA	
\$\$\$\$ Acclidinium Bromide	TUDORZA PRESSAIR	QL = 1 inh / 30 days
<b>Prior Authorization Required</b>		

*Anti-Inflammatory Agents*

\$\$\$ Cromolyn (inhalation)*	INTAL	
\$ Cromolyn (nasal)*	NASALCROM	

*Beta Adrenergics*

\$\$ Albuterol	PROVENTIL HFA, VENTOLIN HFA, PROAIR HFA	
\$\$ Albuterol*	ALBUTEROL NEBULIZER SOLUTION	0.5% (5mg/mL) and 0.083% (2.5mg/3ml)
\$\$\$ Pirbuterol	MAXAIR AUTOHALER	
\$\$\$\$ Olodaterol	STRIVERDI	
\$\$\$ Salmeterol	SEREVENT DISKUS	
<b>Prior Authorization Required</b>		

*Adrenergic Combinations*

\$\$\$\$ Ipratropium-Albuterol	COMBIVENT RESPIMAT	
\$\$\$ Albuterol-Ipratropium*	DUONEB	
\$\$\$\$ Tiotropium-Olodaterol	STIOLTO	
\$\$ Umeclidinium-Vilanterol	ANORO ELLIPTA	
\$\$\$ Salmeterol-Fluticasone	ADVAIR, ADVAIR HFA	
\$\$\$ Budesonide-Formoterol	SYMBICORT	
<b>Prior Authorization Required</b>		

*Steroid Inhalants*

\$\$\$\$ Fluticasone	FLOVENT HFA	
\$\$\$ Triamcinolone	AZMACORT	
\$\$\$ Budesonide	PULMICORT FLEXHALER	
\$\$\$ Budesonide*	PULMICORT RESPULES	AL = 4 years and under QL = 1 box / 30 days
\$\$\$\$ Beclomethasone Dipropionate	QVAR	

*Sympathomimetic Agents*

\$ Pseudoephedrine HCL*	PSEUDOEPHEDRINE	OTC product
-------------------------	-----------------	-------------

*Mixed Adrenergics*

\$\$\$\$ Epinephrine	EPI-PEN, EPI-PEN JR, ADRENAClick	
----------------------	----------------------------------	--

**ProCare/Jai Medical Systems Therapeutic Formulary**

<u>Generic Name</u>	<u>Brand Name</u>	<u>Annotation</u>
---------------------	-------------------	-------------------

<i>Xanthines</i>		
\$ Aminophylline*	AMINOPHYLLINE	
\$\$ Theophylline*	THEO-24, THEOCHRON	
 <i>Leukotriene Receptor Antagonists</i>		
\$\$\$ Montelukast Sodium*	SINGULAIR	

**COUGH/COLD/ALLERGY**

<i>Expectorants</i>		
\$ Guaifenesin*	GUAIFENESIN	<i>OTC product</i>
\$ Guaifenesin/DM*	GUAIFENESIN DM	<i>OTC product</i>
 <i>Cough/Cold/Allergy Combinations</i>		
\$ Brompheniramine*	BROMPHENIRAMINE	<i>Pediatric formulation</i>
\$ Brompheniramine / Pseudoephedrine*	BROMPHENIRAMINE / PSEUDOEPHEDRINE	
\$ Chlorpheniramine*	CHLORPHENIRAMINE	<i>Pediatric formulation</i>
\$ Clemastine*	TAVIST	<i>Pediatric formulation</i>
\$ Phenylephrine*	SUDAFED	<i>Pediatric formulation</i>
\$ Pseudoephedrine-Bromphen-DM*	PSEUDOEPHED-BROMPHEN DM	
\$ Pseudoephedrine-Chlorphen-DM*	PEDIA RELIEF LIQ COUGH/COLD	
\$ Pseudoephedrine-DM liquid*	TRIAMINIC AM LIQ CGH/DECON	
\$ Pseudoephedrine-DM soln*	PSEUDOEPHEDRINE-DM SOLN	
\$ GG/Codeine sol*	GUIATUSS AC	
\$ Benzonatate*	TESSALON, TESSALON PERLES	
\$\$ Pseudoephedrine-GG*	PSEUDO-G / PSI	
\$ Pseudoephedrine HCL*	PSEUDOEPHEDRINE	<i>OTC product</i>

**VII. GASTROINTESTINAL AGENTS**

**LAXATIVES**

<i>Osmotic Laxatives</i>		
\$ Polyethylene Glycol powder*	MIRALAX	
 <i>Surfactant Laxatives</i>		
\$ Docusate Sodium*	COLACE	<i>OTC product</i>
 <i>Stimulant Laxatives</i>		
\$ Bisacodyl*	DULCOLAX	<i>OTC product / caps only</i>
\$ Sennosides*	SENOKOT	<i>OTC product</i>
\$ Sennosides/Docustate*	SENNA-S	<i>OTC product</i>
 <i>Bulk Laxatives</i>		
\$ Polycarbophil Calcium*	FIBERCON	<i>OTC product</i>
\$ Psyllium*	METAMUCIL	<i>OTC product</i>
 <i>Miscellaneous Laxatives</i>		
\$ Glycerin*	GLYCERIN	<i>OTC product</i>
\$ LACTULOSE	LACTULOSE	
\$ Magnesium Citrate*	CITROMA	<i>OTC product</i>
\$ PEG-Electrolyte*	GOLYTELY	
Lubiprostone	AMITIZA	
<b>Prior Authorization Required</b>		

**ANTIDIARRHEALS**

<i>Antiperistaltic Agents</i>		
\$ Diphenoxylate w/ Atropine*	LOMOTIL	
\$ Loperamide*	IMODIUM	<i>OTC product</i>
 <i>Misc Antidiarrheal Agents</i>		
\$ Bismuth Subsalicylate*	PEPTO-BISMOL	<i>no tabs, OTC</i>
\$\$\$ Octreotide Acetate*	SANDOSTATIN	
<b>Prior Authorization Required</b>		

**ANTACIDS**

<i>Antacids - Aluminum Salts</i>		
\$ Aluminum Hydroxide Gel*	ALUMINUM HYDROXIDE	<i>OTC product</i>

**ProCare/Jai Medical Systems Therapeutic Formulary**

<u>Generic Name</u>	<u>Brand Name</u>	<u>Annotation</u>
---------------------	-------------------	-------------------

<i>Antacids - Calcium Salts</i>		
\$ Calcium Carbonate*	OS-CAL	OTC product
<i>Antacid Combinations</i>		
\$ Al Hydrox-Mag Carb*	MAALOX	no tabs, OTC
\$ Aluminum & Magnesium Hydroxide*	MYLANTA	no tabs, OTC

**ULCER DRUGS**

<i>Belladonna Alkaloids</i>		
\$ Hyoscyamine Sulfate*	LEVSIN	tablets or SL only
<i>Quaternary Anticholinergics</i>		
\$ Propantheline Bromide*	PROPANTHELINE BROMIDE	
<i>Antispasmodics</i>		
\$ Dicyclomine*	BENTYL	
<i>H-2 Antagonists</i>		
\$ Famotidine*	PEPCID	tabs only
\$ Ranitidine*	ZANTAC	no caps

<i>Proton Pump Inhibitors</i>		
\$ Esomeprazole Magnesium	NEXIUM 24 HR OTC	OTC
\$\$ Omeprazole*	PRILOSEC OTC	OTC
\$\$ Lansoprazole*	PREVACID	OTC
\$\$\$\$ Lansoprazole*	PREVACID	RX
\$\$\$ Pantoprazole*	(Generic) PROTONIX	

<table border="0" style="width:100%"> <tr> <td>\$\$\$\$ Rabeprazole*</td> <td>ACIPHEX</td> <td></td> </tr> <tr> <td>\$\$\$\$ Lansoprazole*</td> <td>PREVACID SOLU-TAB</td> <td></td> </tr> <tr> <td align="center" colspan="3"><b>Prior Authorization Required</b></td> </tr> </table>	\$\$\$\$ Rabeprazole*	ACIPHEX		\$\$\$\$ Lansoprazole*	PREVACID SOLU-TAB		<b>Prior Authorization Required</b>		
\$\$\$\$ Rabeprazole*	ACIPHEX								
\$\$\$\$ Lansoprazole*	PREVACID SOLU-TAB								
<b>Prior Authorization Required</b>									

<i>Misc. Anti-Ulcer</i>		
\$\$ Sucralfate*	CARAFATE TABLETS	
\$\$\$\$ Sucralfate*	CARAFATE SUSPENSION	

<b>Prior Authorization Required</b>
-------------------------------------

**ANTIEMETICS**

<i>Antiemetics - Anticholinergic</i>		
\$ Meclizine*	MECLIZINE	
\$\$ Prochlorperazine*	PROCHLORPERAZINE	no SR

<i>5-HT3 Receptor Antagonists</i>		
\$\$\$\$ Ondansetron*	ZOFRAN	QL = 10 tabs per fill
\$\$\$\$ Ondansetron*	ZOFRAN ODT	QL = 10 tabs per fill

<table border="0" style="width:100%"> <tr> <td>\$\$\$\$ Ondansetron*</td> <td>ZOFRAN</td> <td>Suspension: QL = 50mls per fill</td> </tr> <tr> <td align="center" colspan="3"><b>Prior Authorization Required</b></td> </tr> </table>	\$\$\$\$ Ondansetron*	ZOFRAN	Suspension: QL = 50mls per fill	<b>Prior Authorization Required</b>		
\$\$\$\$ Ondansetron*	ZOFRAN	Suspension: QL = 50mls per fill				
<b>Prior Authorization Required</b>						

<i>Neurokinin 1 Receptor</i>		
\$\$\$\$ Aprepitant	EMEND	

<b>Prior Authorization Required</b>
-------------------------------------

**DIGESTIVE AIDS**

<i>Digestive Aids - Mixtures</i>		
\$\$\$\$ Pancrelipase (Lip-Prot-Amyl)	VIOKACE	
\$\$\$\$ Pancrelipase (Lip-Prot-Amyl) DR	CREON, ZENPEP, ULTRESA PANCREAZE, PANCRELIPASE PERTZYE	

**MISC. GI**

<i>GI Stimulants</i>		
\$ Metoclopramide*	REGLAN	no 5mg tabs

<i>Inflammatory Bowel Agents</i>		
\$\$\$\$ Mesalamine	PENTASA	
\$\$\$\$ Mesalamine*	ROWASA	
\$ Sulfasalazine*	AZULFIDINE	no EN tabs





**ProCare/Jai Medical Systems Therapeutic Formulary**

<u>Generic Name</u>	<u>Brand Name</u>	<u>Annotation</u>
---------------------	-------------------	-------------------

*COX-2 Inhibitor*

\$\$\$\$ Celecoxib	CELEBREX	
<b>Prior Authorization Required</b>		

*Anti-Rheumatic Antimetabolite*

\$\$\$\$ Methotrexate*	RHEUMATREX	
------------------------	------------	--

**GOUT**

\$ Allopurinol*	ZYLOPRIM	
\$\$\$\$ Colchicine	COLCRYS	

*Uricosurics*

\$ Probenecid*	PROBENECID	
----------------	------------	--

**LOCAL ANESTHETICS**

\$ Lidocaine*	LIDOCAINE	2% soln, 3%, 5% cream
Lidocaine/Prilocaine	EMLA	2.5/2.5%

\$\$\$\$ Lidocaine*	LIDODERM PATCHES	QL = 90 patches /30 days
<b>Prior Authorization Required</b>		

**MIGRAINE PRODUCTS**

\$\$\$ Ergoloid mesylates*	HYDERGINE	
\$\$\$\$ Sumatriptan tablets*	IMITREX	QL = 9 tabs/30 days
\$\$\$\$ Sumatriptan injection*	IMITREX	QL = 2 injections/30 days
\$\$\$\$ Sumatriptan nasal*	IMITREX	QL = 6 sprays/30 days
\$\$\$\$ Sumatriptan-naproxen	TREXIMET	QL = 9 tabs/30 days
\$\$\$\$ Rizatriptan tablets*	MAXALT	QL = 6 tabs/30 days
\$\$\$\$ Zolmitriptan tablets*	ZOMIG	QL = 6 tabs/30 days tabs only
<b>Prior Authorization Required</b>		

**XI. NEUROMUSCULAR AGENTS**

**ANTICONVULSANT**

*Hydantoins*

\$\$ Phenytoin*	DILANTIN	
-----------------	----------	--

*Succinimides*

\$\$ Ethosuximide*	ZARONTIN	
--------------------	----------	--

*Miscellaneous Anticonvulsants*

\$\$\$ Primidone*	MYSOLINE	
-------------------	----------	--

**ANTIPARKINSONIAN**

*COMT Inhibitors*

\$\$\$ Entacapone*	COMTAN	
<b>Prior Authorization Required</b>		

*Dopaminergic*

\$ Amantadine*	AMANTADINE	
\$\$\$ Bromocriptine*	PARLODEL	no postpartum use
\$\$ Ropinirole*	REQUIP	
<b>Prior Authorization Required</b>		

*Levodopa Combinations*

\$\$\$ Carbidopa-Levodopa*	SINEMET, CR	no 100-25 CR
----------------------------	-------------	--------------

*Monoamine Oxidase Inhibitor*

\$\$\$\$ Selegiline*	ELDEPRYL	
----------------------	----------	--

**MUSCULOSKELETAL THERAPY AGENTS**

*Central Muscle Relaxants*

\$\$ Baclofen*	BACLOFEN	
\$ Cyclobenzaprine*	CYCLOBENZAPRINE	
\$ Methocarbamol*	ROBAXIN	

*Direct Muscle Relaxants*

\$\$\$\$ Dantrolene*	DANTRIUM	
<b>Prior Authorization Required</b>		





**ProCare/Jai Medical Systems Therapeutic Formulary**

<u>Generic Name</u>	<u>Brand Name</u>	<u>Annotation</u>
---------------------	-------------------	-------------------

**DIETARY PRODUCTS**

\$\$ Infant Foods	ENFAMIL / SIMILAC	OTC product
\$\$ Phenyl-Free*	PHENYL-FREE	OTC product

**MISCELLANEOUS NUTRITIONAL PRODUCTS**

\$\$ Nutritional Supplements ENSURE, PEDIASURE, BOOST, VIVONEX <p style="text-align: center;"><b>Prior Authorization Required</b>                  For enteral access only. For members without enteral access, follow the DME process.                  (Nutritional Supplements are not limited to this list)</p>	
--	--

**XIII. HEMATOLOGICAL AGENTS**

**HEMATOPOIETIC AGENTS**

*Cobalamines*

\$ Cyanocobalamin*	VITAMIN B-12	1,000mg tabs only
\$ Folic Acid*	FOLIC ACID	
\$\$\$ Leucovorin Calcium*	LEUCOVORIN	
\$ Thiamine	THIAMINE	
\$ Cyanocobalamin*	VITAMIN B-12	injection
\$ Hydroxocobalamin*	HYDROXOCOBALAMIN	
<b>Prior Authorization Required</b>		

*Iron*

\$ Ferrous Gluconate*	FERGON	OTC product
\$ Ferrous Sulfate*	FEOSOL	OTC product

*Hematopoietic Growth Factors*

\$\$\$\$\$ Darbepoetin	ARANESP	4 injections / month
<b>Prior Authorization Required</b>		

*Erythropoietins*

\$\$\$\$\$ Epoetin Alfa	EPOGEN	2,000U, 3,000U, 4,000U, 10,000 - QL = 12 injections / month
<b>Prior Authorization Required</b>		
20,000U, 40,000U - QL = 4 injections / month		

*Leukocytes*

\$\$\$\$\$ Filgrastim	NEUPOGEN	QL = 30 injections / month
<b>Prior Authorization Required</b>		

**ANTICOAGULANTS**

*Coumarin Anticoagulants*

\$\$ Warfarin Sodium*	COUMADIN
-----------------------	----------

*Heparin Agents*

\$\$\$\$\$ Enoxaparin*	LOVENOX
\$\$\$\$\$ Apixaban	ELIQUIS

*Thrombin Inhibitors*

\$\$\$\$\$ Dabigatran	PRADAXA
<b>Prior Authorization Required</b>	

**HEMOSTATICS**

*Hemostatics - Topical*

\$\$\$\$ Thrombin	THROMBIN
<b>Prior Authorization Required</b>	

**MISC. HEMATOLOGICAL**

*Antihemophilic Products*

\$\$\$\$\$ Antihemophilic Factor (Human)	KOATE-DVI, HP, HEMOFIL M
\$\$\$\$\$ Antihemophilic Factor (Recombinate)	RECOMBINATE
\$\$\$\$\$ Antiinhibitor Coagulant Complex	FEIBA VH
\$\$\$\$\$ Antithrombin III (Human)	THROMBATE III
<b>Prior Authorization Required</b>	

**ProCare/Jai Medical Systems Therapeutic Formulary**

<u>Generic Name</u>	<u>Brand Name</u>	<u>Annotation</u>
---------------------	-------------------	-------------------

*Platelet Aggregation Inhibitors*  
 \$\$\$ Clopidogrel\* PLAVIX

*Phosphodiesterase III Inhibitors*  
 \$\$\$\$ Cilostazol PLETAL

*Hematorheological*

\$\$ Pentoxifylline* <b>Prior Authorization Required</b>	TRENAL	
---	--------	--

**XIV. BEHAVIORAL HEALTH AGENTS**

**MISCELLANEOUS**

*Reversible Acetylcholinesterase inhibitor*

\$\$\$\$ Donepezil* \$\$\$\$ Galantamine* \$\$\$\$ Rivastigmine*	ARICEPT RAZADYNE / RAZADYNE ER EXELON	
<b>Prior Authorization Required</b>		

*Miscellaneous*

\$\$\$\$\$ Clonidine* \$\$\$\$\$ Guanfacine* \$\$\$\$ Memantine	KAPVAY INTUNIV NAMENDA	<i>Please refer to          Introduction page I-5          Please refer to          Introduction page I-5</i>
<b>Prior Authorization Required</b>		

**ANTICONVULSANT**

*Misc. Anticonvulsants*

\$\$\$ Primidone\* MYSOLINE

**XV. TOPICAL AGENTS**

**OPHTHALMIC**

*Antibiotics*

\$\$\$ Bacitracin* \$\$\$ Ciprofloxacin* \$ Erythromycin* \$ Gentamicin Sulfate* \$\$\$ Moxifloxacin Hydrochloride \$ Ofloxacin \$ Polymyxin B-Trimethoprim*	AK-TRACIN CILOXAN ROMYCIN GENTAK VIGAMOX OCUFLOX POLYTRIM \$\$\$ Gatifloxacin* <b>Prior Authorization Required</b>	<i>AL= 18 years and under</i>
--	--	-------------------------------

*Anti Allergic*

\$ Ketotifen Fumarate Ophth Soln* \$\$ Lodoxamide Tromethamine \$\$\$ Olopatadine HCL Ophth soln 0.1% \$\$\$\$ Olopatadine HCL Ophth soln 0.2% \$\$\$\$ Azelastine 0.05% eye drops	ZADITOR ALOMIDE PATANOL PATADAY (GENERIC) OPTIVAR	<i>QL = 20 mls / 30 days          QL = 20 mls / 30 days</i>
<b>Prior Authorization Required</b>		

*Sulfonamides*

\$ Sodium Sulfacetamide\* BLEPH-10

*Antivirals*

\$\$\$ Trifluridine\* VIROPTIC

*Antiinfective Combinations*

\$ Bacitracin-Polymyxin B\* POLYSPORIN  
 \$ Neomycin-Bac Zn-Polymyxin\* NEOMYCIN-BAC ZN-POLYMIXIN  
 \$ Neomycin-Polymy-Gramicidin\* NEOSPORIN

*Beta-Blockers*

\$\$\$\$ Betaxolol\* BETOPTIC, BETOPTIC S  
 \$ Timolol\* BETIMOL, TIMOPTIC *no XE*  
 \$ Dorzolamide HCL-Timolol Maleate\* COSOPT

*Steroids*

\$\$ Dexamethasone\* DEXAMETHASONE  
 \$\$ Prednisolone Acetate\* PRED FORTE, MILD

**ProCare/Jai Medical Systems Therapeutic Formulary**

<u>Generic Name</u>	<u>Brand Name</u>	<u>Annotation</u>
---------------------	-------------------	-------------------

*Steroid Combinations*

\$ Bacitracin-Polymyxin-Neomycin-HC*	BACITRACIN-POLYMYXIN-NEOMYCIN-HC	
\$ Neomycin-Polymyxin-Dexamethasone*	MAXITROL	
\$\$ Tobramycin-Dexamethasone*	TOBRADEX	
\$\$\$ Neomycin-Polymyxin-HC*	CORTISPORIN	
\$\$\$ Sulfacetamide Sod-Prednisolone*	BLEPHAMIDE	

*Cycloplegics*

\$ Atropine Sulfate*	ISOPTO ATROPINE	
----------------------	-----------------	--

*Decongestants*

\$ Naphazoline*	NAPHAZOLINE	
\$\$ Phenylephrine*	MYDRIN	

*Ophthalmic NSAID's*

\$ Diclofenac Sodium*	VOLTAREN	
\$\$ Flurbiprofen*	OCUFEN	

*Miotics - Direct Acting*

\$ Pilocarpine*	ISOPTO-CARPINE	<i>no Ocusert</i>
-----------------	----------------	-------------------

\$\$ Brimonidine Tartrate	ALPHAGAN 0.2%, ALPHAGAN P 0.15%	
---------------------------	---------------------------------	--

**Prior Authorization Required**

*Prostaglandins*

\$\$\$ Latanoprost*	XALATAN	
---------------------	---------	--

*Carbonic Anhydrase Inhibitors*

\$\$ Dorzolamide*	TRUSOPT	
-------------------	---------	--

**OTIC**

*Steroids*

\$ Hydrocortisone w/Acetic Acid*	ACETASOL HC	QL = 20 mls / 30 days
----------------------------------	-------------	-----------------------

*Antibiotics & Steroid-Antibiotic Combinations*

\$ Neomycin-Polymyxin-HC*	CORTISPORIN	QL = 20 mls / 30 days
---------------------------	-------------	-----------------------

*Antibiotics*

\$\$\$ Ofloxacin*	OFLOXACIN	QL = 20 mls / 30 days
-------------------	-----------	-----------------------

*Anti Infective*

\$ Carbamide Peroxide*	DEBROX	
------------------------	--------	--

*Analgesic Combinations*

\$ Benzocaine & Antipyrine*	A/B OTIC	
-----------------------------	----------	--

**MOUTH & THROAT (Local)**

*Antiinfectives - Throat*

\$\$\$ Clotrimazole*	CLOTRIMAZOLE TROCHE	
\$ Nystatin*	NYSTATIN	

**ANORECTAL**

*Rectal Steroids*

\$ Hydrocortisone*	ANUSOL-HC	2.5% cream
\$\$ Hydrocortisone*	PROCTOCREAM	2.5% cream

**DERMATOLOGICAL**

*Antibiotics - Topical*

\$\$ Bacitracin*	BACITRACIN	OTC product
\$ Gentamicin Sulfate*	GENTAMICIN	
\$\$\$ Metronidazole*	METROGEL	
\$\$\$ Mupirocin*	BACTROBAN	
\$ Neomycin Sulfate*	NEOMYCIN	

*Antibiotic Mixtures Topical*

\$ Neomycin-Bacitracin-Polymyxin*	NEOSPORIN	OTC product
-----------------------------------	-----------	-------------

*Antibiotic Steroid Combinations*

\$\$ Neomycin-Polymyxin-HC*	CORTISPORIN	
-----------------------------	-------------	--

**ProCare/Jai Medical Systems Therapeutic Formulary**

<u>Generic Name</u>	<u>Brand Name</u>	<u>Annotation</u>
---------------------	-------------------	-------------------

*Imidazole-Related Antifungals (Topical)*

\$\$ Clotrimazole Topical*	LOTRIMIN	OTC product
\$ Miconazole*	MONISTAT	OTC product

*Antifungals*

\$ Nystatin*	NYSTATIN	no powder
--------------	----------	-----------

*Antifungals - Topical Combinations*

\$\$ Nystatin-Triamcinolone*	NYSTATIN-TRIAMCINOLONE	
------------------------------	------------------------	--

*Antipsoriatics*

\$\$\$\$ Calcipotriene*	DOVONEX	
-------------------------	---------	--

*Antiseborrheic Products*

\$ Sulfacetamide Sodium*	SULFACETAMIDE SODIUM	
--------------------------	----------------------	--

*Burn Products*

\$ Silver Sulfadiazine*	SILVADENE	
-------------------------	-----------	--

*Tar Products*

\$ Coal Tar*	COAL TAR SHAMPOO	1% only
--------------	------------------	---------

*Enzymes - Topical*

\$\$\$ Collagenase	SANTYL	
--------------------	--------	--

*Keratolytics/Antimitotics*

\$\$\$\$ Podofilox*	CONDYLOX	
\$\$\$\$ Urea*	KERALAC, UMECTA	
\$\$\$\$ Urea 45%*	URAMAXIN GEL 45%	

*Local Anesthetics - Topical*

\$ Lidocaine viscous*	LIDOCAINE VISCOUS	
\$\$ Diclofenac*	VOLTAREN	1% gel

*Scabicides & Pediculocides*

\$ Lindane*	LINDANE	
\$\$ Permethrin*	ELIMITE	
\$\$ Permethrin*	NIX	OTC product

*Misc. Topical*

\$\$ Ammonium Lactate*	LAC-HYDRIN	cream & lotion
\$\$\$ Fluorouracil*	EFUDEX	2% and 5% cream only

\$\$\$ Tacrolimus oint*	PROTOPIC	
\$\$\$ Pimecrolimus	ELIDEL	

**Prior Authorization Required**

*Antiviral Topical*

\$\$\$\$ Acyclovir	ZOVIRAX	ointment & suspension
--------------------	---------	-----------------------

**Prior Authorization Required**

*Corticosteroids - Topical*

\$ Betamethasone Dipropionate*	BETAMETHASONE DIPROPIONATE	
\$ Betamethasone Valerate*	BETAMETHASONE VALERATE	
\$ Clobetasol Propionate*	TEMOVATE	
\$ Desonide*	DESOWEN	
\$ Fluocinonide*	FLUOCINONIDE	
\$ Fluocinonide Acetonide*	SYNALAR	
\$ Hydrocortisone*	HYDROCORTISONE	OTC product
\$ Triamcinolone Acetonide*	KENALOG	Topical and injectable
\$ Triamcinolone Acetonide in Orabase*	TRIAM. ACET. IN ORABASE	

*Acne Products*

\$ Benzoyl Peroxide*	BENZAC W	
\$\$ Tretinoin*	RETIN-A	Ages 0-21 only / no Micro
\$\$\$ Adapalene*	DIFFERIN	Ages 0-21 only Gel / Cream

*Acne Antibiotics*

\$\$ Clindamycin Phosphate*	CLEOCIN	
\$\$ Erythromycin Gel*	ERYGEL	



## Prior Authorization Guidelines

**GENERIC:** ACARBOSE

**BRAND:** PRECOSE<sup>®</sup>

**INDICATION:**

(1) Type 2 diabetes mellitus

**Criteria:**

(a) Failure of maximal doses of *one* oral sulfonylurea (e.g., glyburide 20mg daily or equivalent). Failure is defined as Hemoglobin A1c > 7.0.

**GENERIC:** ACLIDINIUM BROMIDE AEROSOL POWDER

**BRAND:** TUDORZA PRESSAIR<sup>®</sup>

**INDICATION:**

(1) Long-term maintenance treatment of bronchospasm associated with COPD (including bronchitis and emphysema)

**Criteria:**

- (a) Diagnosis of COPD **and**
- (b) Must be greater than 18 years of age **and**
- (c) Documented inadequate response or intolerance to Spiriva

**GENERIC:** ACYCLOVIR TOPICAL OINTMENT/SUSPENSION

**BRAND:** ZOVIRAX<sup>®</sup> 5%

**INDICATIONS:**

- (1) Herpes genitalis
- (2) Oral herpes infection

**Criteria:**

- (a) Herpes genitalis – for initial episode only; **or**
- (b) Oral herpes infection – for immunocompromised patients *only*.

**Additional Criteria for Suspension:**

- (c) Patient is <17 years of age; **or**
- (d) Unable to ingest solid dosage form (e.g. capsules) due to dysphagia

**GENERIC:** ADALIMUMAB

**BRAND:** HUMIRA<sup>®</sup>

**INDICATIONS:**

- (1) Moderate to severely active rheumatoid arthritis
- (2) Psoriatic arthritis
- (3) Ankylosing spondylitis

## **Prior Authorization Guidelines**

(4) Moderate to severely active Crohn's disease

**Criteria:**

- (a) The patient had a NEGATIVE tuberculin skin test, or if positive, has received treatment for latent TB prior to Humira therapy; **and**
- (b) The patient does not have a clinically important active infection

**Additional Criteria for RA:**

- (a) The patient has failed or is intolerant to one formulary NSAID **and**
- (b) The patient has failed or is intolerant to one formulary DMARD

**Additional Criteria for Crohn's:**

- (a) The patient has failed or is intolerant to infliximab; **or**
- (b) The patient has failed or is intolerant to mesalamine or sulfasalazine; **and**
- (c) The patient has failed or is intolerant to corticosteroids; **and**
- (d) The patient has failed or is intolerant to an immunomodulator (e.g., methotrexate, 6-mercaptopurine or azathioprine)

**GENERIC:** ANTIHEMOPHILIC FACTORS

**BRAND:** KOATE-DVI<sup>®</sup>, FEIBA VH<sup>®</sup>, RECOMBINATE<sup>®</sup>, THROMBATE III<sup>®</sup>

**INDICATION:**

- (1) Hemophilia A

**Criteria:**

- (a) Diagnosis of Hemophilia A

**GENERIC:** APREPITANT

**BRAND:** EMEND<sup>®</sup>

**INDICATION:**

- (1) Nausea and vomiting

**Criteria:**

- (a) For the prevention of post-operative nausea and vomiting; **or**
- (b) For the prevention of chemotherapy-induced nausea and vomiting

## Prior Authorization Guidelines

**GENERIC:** AZELASTINE NASAL SPRAY

**BRAND:** ASTELIN<sup>®</sup>

**INDICATIONS:**

- (1) Perennial allergic rhinitis
- (2) Seasonal allergic rhinitis

**Criteria:**

- (a) Patient is  $\geq 5$  years of age with one of the above diagnoses; **and**
- (b) Failure of at least one formulary nasal steroid after a period of at least two months on the maximum dose appropriate and tolerated by the patient

**GENERIC:** AZELASTINE 0.05% Eye Drops

**INDICATION:**

- (1) Allergic conjunctivitis

**Criteria:**

- (a) Patient is  $\geq 3$  years of age with the above diagnoses
- (b) Failure of Ketotifen and any various store brands OTC shelf

**GENERIC:** BRIMONIDINE

**BRAND:** ALPHAGAN 0.2%<sup>®</sup>, ALPHAGAN P 0.15%<sup>®</sup>

**INDICATION:**

- (1) Glaucoma

**Criteria:**

- (a) Failure of formulary ophthalmic beta blocker (betaxolol, Timolol, dorzolamide/timolol)

**GENERIC:** BUDESONIDE/FORMOTEROL

**BRAND:** SYMBICORT<sup>®</sup>

**INDICATION:**

- (1) Maintenance treatment of asthma in patients 12 years of age and older

**Criteria:**

- (a) Currently on, but not adequately controlled by an inhaled corticosteroid; **or**
- (b) Maintenance treatment of airflow obstruction in patients with chronic bronchitis and emphysema
- (c) Patients must be reevaluated after 6 months



## **Prior Authorization Guidelines**

*For members currently with an approved prior authorization for Symbicort, claims will process as long as the member has filled Symbicort within the last 4 months. No yearly renewal will be needed for compliant members. Prior authorization will be required for members new to the plan, new to Symbicort therapy or with no claims history of Symbicort within the last 4 months. Once approved, 90-day supplies are allowed.*

**GENERIC:** CALCITONIN-SALMON

**BRAND:** MIACALCIN<sup>®</sup>

### **INDICATIONS:**

- (1) Mild to moderate Paget's disease of bone
- (2) Osteoporosis

### **Criteria:**

- (a) Failure, contraindication or intolerance to adequate trial of oral bisphosphonate; **and**
- (b) One of the following:
  - (1) Bone density measurement  $\geq 2.5$  standard deviations below the mean for normal, young adults of same gender (T-score  $\leq -2.5$ ); **or**
  - (2) History of an osteoporotic vertebral fracture; **or**
  - (3) Postmenopausal woman with low bone mineral density defined by T-score between -2.0 and -2.5 AND one of the following risk factors for fracture:
    - (a) Thinness or low body mass index defined by weight  $< 127$  lb (57.7 kg) or BMI  $< 21$  kg/m<sup>2</sup>
    - (b) History of fragility fracture since menopause
    - (c) History of hip fracture in a parent
  - (4) Diagnosis of Paget's disease of bone
- (c) Patients receiving glucocorticoids in daily dosages of  $> 7.5$ mg prednisone daily (see table) AND who have bone density measurement  $> 1$  standard deviations below the mean for normal, young adults of same gender (T-score  $< -1.0$ )

## Prior Authorization Guidelines

<b>Glucocorticoid Potency Equivalencies</b>			
<b>Glucocorticoid</b>	<b>Approximate equivalent dose (mg)</b>	<b>Relative anti-inflammatory (glucocorticoid) potency</b>	<b>Relative mineralocorticoid potency</b>
<i>Short-acting</i>			
Cortisone	25	0.8	2
Hydrocortisone	20	1	2
<i>Intermediate-acting</i>			
	5	4	1
Prednisone	5	4	1
Prednisolone	4	5	0
Triamcinolone	4	5	0
Methylprednisolone			
<i>Long-acting</i>			
Dexamethasone	0.75	20-30	0
Betamethasone	0.6-0.75	20-30	0

Table adapted from Facts and Comparisons® 1999:122

\* *For injectable medications administered by a healthcare professional, please refer to the “Specialty Medication Guidelines” in the beginning of this formulary.*

\* *If documentation of osteoporosis is available, please submit with PA request.*

**GENERIC:** CANAGLIFLOZIN

**BRAND:** INVOKANA®

**INDICATION:**

(1) Type 2 diabetes mellitus

**Criteria:**

(a) Diagnosis of Type 2 diabetes mellitus

(b) Has not achieved adequate glycemic control on at least ONE of the following:

(1) Metformin (alone or in a combination)

(2) Sulfonylurea (alone or in a combination)

(3) A preferred DPP-4 (Januvia)

(c) Contraindication to BOTH metformin and a sulfonylurea

(d) Contraindication to a preferred DPP-4 inhibitor

## **Prior Authorization Guidelines**

**GENERIC:** CELECOXIB

**BRAND:** CELEBREX®

### **INDICATIONS:**

- (1) Relief of signs and symptoms of rheumatoid arthritis (RA) in adults
- (2) Relief of signs and symptoms of osteoarthritis (OA)
- (3) Relief of signs and symptoms of ankylosing spondylitis
- (4) Management of acute pain in adults
- (5) Treatment of primary dysmenorrhea
- (6) To reduce the number of adenomatous polyps in familial adenomatous polyposis, as an adjunct to usual care

### **Criteria:**

- (a) Failure, intolerance, or contraindication to at least 2 formulary NSAIDs; **and**
- (b) One of the following:
  - (1) Age greater than 65; **or**
  - (2) Concomitant use of warfarin or other antiplatelet therapy; **or**
  - (3) Concomitant use of chronic systemic corticosteroid therapy; **or**
  - (4) Documented history of ulcer disease or GI bleed; **or**
  - (5) Documented history of significant GI disease requiring therapy with an H2 antagonist or PPI; **or**
  - (6) Documented history of nonselective NSAID-induced GI adverse effects; **and**
- (c) For OA, therapeutic failure ( $\geq 21$  day trial), intolerance of, or contraindication to at least 1 of the following: acetaminophen or opioid analgesics or topical analgesics (capsaicin, etc.)

**GENERIC:** CLOXACILLIN SODIUM

### **INDICATION:**

- (1) Treatment of infections due to penicillinase-producing staphylococci

### **Criteria:**

- (a) Diagnosis of staphylococcal infection; **and**
- (b) Failure of dicloxacillin sodium.

## Prior Authorization Guidelines

**GENERIC:** CYANOCOBALAMIN (HYDROXOCOBALAMIN)

**BRAND:** VITAMIN B-12<sup>®</sup>

**INDICATION:**

(1) Vitamin B-12 deficiency

**Criteria:**

- (a) Patients who lack intrinsic factor; **or**
- (b) Patients who are on long-term PPI therapy; **or**
- (c) Patients with a partial or complete gastrectomy.

*\* For injectable medications administered by a healthcare professional, please refer to the "Specialty Medication Guidelines" in the beginning of this formulary.*

**GENERIC:** DABIGATRAN ETEXILATE MESYLATE

**BRAND:** PRADAXA<sup>®</sup>

**INDICATION:**

(1) Reduce the risk of stroke and systemic embolism in patients with non-vascular atrial fibrillation.

**Criteria:**

- (a) Diagnosis of non-vascular atrial fibrillation; **and**
- (b) Must have recent CrCl levels or Scr and current patient weight; **and**
- (c) No active pathological bleeding; **and**
- (d) Must have tried and failed or intolerant to Warfarin

**NOTE:** Conversion to Pradaxa:

- (a) From Warfarin: discontinue warfarin and start pradaxa when INR<2.0
- (b) From Parenteral Anticoagulants: start pradaxa 0-2 hrs prior to next scheduled dose of parenteral anticoagulant, or at the time of discontinuation of continuous parenteral drug (e.g. heparin)

**GENERIC:** DALFAMPRIDINE

**BRAND:** AMPYRA<sup>®</sup>

**INDICATION:**

(1) Improved walking speed in patients with multiple sclerosis

**Criteria:**

- (a) Diagnosis of multiple sclerosis; **and**
- (b) Prescribed by a neurologist; **and**
- (c) Currently taking a disease modifying drug for multiple sclerosis (Avonex, Aubagio, Betaseron, Copaxone, Extavia, Gilenya, Rebif, Tecfidera or Tysabri)

## Prior Authorization Guidelines

\* Renewals will require documented improvement in walking speed  
(demonstrated improvement in timed 25 foot walk)

**GENERIC:** DANTROLENE

**BRAND:** DANTRIUM<sup>®</sup>

**INDICATION:**

(1) Spasticity resulting from upper motor neuron disorders

**Criteria:**

(a) Demonstrated failure of, or intolerance to, Baclofen (Lioresal<sup>®</sup>).

**GENERIC:** DARBEOETIN ALFA

**BRAND:** ARANESP<sup>®</sup>

**INDICATIONS:**

(1) Anemia with cancer chemotherapy (nonmyeloid)

(2) Anemia due to chronic renal failure

**Criteria:**

(a) Ensure patient's iron stores are adequate (Ferritin  $\geq$  100 ng/mL and/or Transferrin saturation  $\geq$  20%) or patient is being treated with iron; **and**

(b) Adequate blood pressure control; **and**

**Chronic kidney disease patients:**

(a) Initiate treatment when hemoglobin is  $<10\text{g/dL}$ ; **or**

**Anemia due to chemotherapy in cancer:**

(a) Initiate treatment only if hemoglobin is  $<10\text{g/dL}$ ; **and**

(b) Anticipated duration of myelosuppressive chemotherapy is  $\geq$  2 months

**For renewals:**

(a) **Chronic kidney disease patients:**

(1) With dialysis Hgb  $<11$ ; **or**

(2) Without dialysis Hgb  $<10$

(b) **Anemia due to chemotherapy in cancer patients:**

(1) Hgb  $<11$

## **Prior Authorization Guidelines**

**GENERIC:** DARIFENACIN

**BRAND:** ENABLEX®

**INDICATION:**

(1) Overactive bladder

**Criteria:**

(a) Failure of Oxybutynin

**GENERIC:** DESMOPRESSIN

**BRAND:** DDAVP®

**INDICATIONS:**

(1) Central cranial diabetes insipidus (CCDI)

(2) Primary nocturnal enuresis

**Criteria:**

(a) Diagnosis of CCDI; **or**

(b) For the treatment of enuresis, age 6 to 18 years; **and**

(c) Failure of behavior modification for 6 months (e.g., alarms, no beverages after 5pm, special diapers, etc.)

*\* Renewals for the indication of nocturnal enuresis will require the documentation of a retrial of behavior modification.*

**GENERIC:** DIMETHYL FUMERATE

**BRAND:** TECFIDERA®

**INDICATION:**

(1) Diagnosis of a relapsing form of Multiple Sclerosis;

**Criteria:**

(a) Prescribed by neurologist, and

(b) Not requesting combination of any 2 agents together:

Copaxone, Betaseron, Avonex, Tysabri, Gilenya, Aubagio or Tecfidera.

**GENERIC:** DONEPEZIL

**BRAND:** ARICEPT®

**INDICATION:**

(1) Alzheimer's disease: for the treatment of dementia.

**Criteria:**

(a) Dementia must be confirmed by clinical evaluation

## **Prior Authorization Guidelines**

**GENERIC:** DULAGLUTIDE

**BRAND:** TRULICITY®

**INDICATION:**

- (1) Adjunct to diet and exercise to improve glycemic control in patients with type II diabetes mellitus

**Criteria:**

- (a) Diagnosis of type II diabetes mellitus; **and**
- (b) Must be under the care of a healthcare provider skilled with the use of insulin and supported by diabetes educator
- (c) Must have tried at least 2 antidiabetic agents such as metformin, sulfonylureas, thiazolidinedione or insulin and not achieved adequate glycemic control despite treatment or intolerant to other antidiabetic medications

**GENERIC:** ELBASVIR-GRAZOPREVIR

**BRAND:** ZEPATIER®

**INDICATION:**

- (1) Chronic Hepatitis C

**Criteria:**

- (a) Preferred for genotypes 1 and 4
- (b) Must follow the clinical criteria as set by the Maryland Department of Health
- (c) Special Hepatitis C PA request forms, treatment plan template, preferred status information, and full criteria can be obtained at <http://www.jaimedicalsystems.com/providers/pharmacy/> or by contacting ProCare at 1-800-555-8513

**GENERIC:** EMPAGLIFLOZIN

**BRAND:** JARDIANCE®

**INDICATION:**

- (1) Type II Diabetes Mellitus

**Criteria:**

- (a) Failure of metformin, a sulfonylurea, or pioglitazone

## **Prior Authorization Guidelines**

**GENERIC:** EMPAGLIFLOZIN-LINAGLIPTIN

**BRAND:** GLYXAMBI®

**INDICATION:**

(1) Type II Diabetes Mellitus

**Criteria:**

(a) For use when an SGLT2 and a DPP-4 Inhibitor is appropriate.

**GENERIC:** ENTACAPONE

**BRAND:** COMTAN®

**INDICATION:**

(1) As an adjunct to levodopa/carbidopa to treat patients with idiopathic Parkinson's disease

**Criteria:**

(a) Diagnosis of idiopathic Parkinson's disease; **and**

(b) Patient is receiving concomitant levodopa/carbidopa therapy.

**GENERIC:** EPOETIN ALFA

**BRAND:** EPOGEN®

**INDICATIONS:**

(1) Anemia with cancer chemotherapy (nonmyeloid)

(2) Anemia due to chronic renal failure

(3) Anemia of HIV infection associated with zidovudine

(4) Reduction of allogenic blood transfusion for elective, noncardiac, nonvascular surgery

**Criteria:**

(a) Patient's iron stores are adequate (Ferritin  $\geq 100$  mcg/mL and/or Transferrin saturation  $\geq 20\%$ ) or patient is being treated with iron; **and**

(b) Adequate blood pressure control

**Chronic kidney disease patients:**

(a) Initiate treatment when hemoglobin is  $< 10$  g/dL (3 month approval)

**Anemia due to chemotherapy in cancer patients:**

(a) Initiate treatment only if hemoglobin  $< 10$  g/dL and anticipated duration of myelosuppressive chemotherapy is  $\geq 2$  months

**Anemia due to zidovudine in HIV-infected patients:**

(a) Initiate treatment when hemoglobin is  $< 10$  g/dL

**Surgical procedure - Transfusion of blood product, Allogeneic; Prophylaxis:**



## **Prior Authorization Guidelines**

(a) Patient's pre-operative Hgb >10 to ≤13 g/dL (14 day approval)

### **For renewals:**

#### **Chronic kidney disease patients:**

- (a) With dialysis Hgb <11
- (b) Without dialysis Hgb <10

#### **Anemia due to chemotherapy in cancer patients:**

- (a) Hgb <11

#### **Anemia due to zidovudine in HIV-infected patients:**

- (a) Hgb <11

**GENERIC:** ETANERCEPT

**BRAND:** ENBREL<sup>®</sup>

### **INDICATIONS:**

- (1) Moderate to severely active rheumatoid arthritis
- (2) Moderate to severely active polyarticular juvenile rheumatoid arthritis
- (3) Psoriatic spondylitis
- (4) Ankylosing spondylitis
- (5) Plaque psoriasis

### **Criteria:**

- (a) The patient had a NEGATIVE tuberculin skin test, or if positive, has received treatment for latent TB prior to Enbrel therapy; **and**
- (b) The patient does not have a clinically important active infection

### **Additional Criteria for RA:**

- (a) The patient has failed or is intolerant to one formulary NSAID **and**
- (b) The patient has failed or is intolerant to one formulary DMARD

### **Additional Criteria for Plaque Psoriasis:**

- (a) Involvement of ≥ 10% body surface area (BSA)

**GENERIC:** EVOLOCUMAB

**BRAND:** REPATHA<sup>®</sup>

### **INDICATION:**

- (1) Primary hyperlipidemia
- (2) High cholesterol in the blood
- (3) Heterozygous familial hypercholesterolemia (HeFH)
- (4) Reduce the risk of heart attack, stroke, and certain types of heart surgery in patients.

## **Prior Authorization Guidelines**

- (5) Atherosclerotic cardiovascular disease (ASCVD)
- (6) Homozygous familial hypercholesterolemia

### **Criteria:**

- (a) Documentation of positive clinical response
- (b) Comprehensive counseling regarding diet
- (c) Not used in combination with another type 9 (PCSK9) INHIBITOR

**GENERIC:** EXENATIDE

**BRAND:** BYETTA®

### **INDICATION:**

- (1) Adjunctive therapy of type 2 diabetes mellitus

### **Criteria:**

- (a) Diagnosis of type 2 diabetes; **and**
- (b) Failure or intolerance to sulfonylureas and/or metformin at optimal dosing. Failure defined as Hemoglobin A1c  $\geq 7.0$ ; **and**
- (c) Patient  $\geq 18$  years of age

**GENERIC:** EZETIMIBE

**BRAND:** ZETIA®

### **INDICATIONS:**

- (1) Hypercholesterolemia
- (2) Sitosterolemia

### **Criteria:**

- (a) Diagnosis of Sitosterolemia; **or**
- (b) For the diagnosis of hypercholesterolemia, failure of optimal dosing/duration or intolerance/contraindication to 2 formulary anti-lipid agents (with at least one agent being a statin)

**GENERIC:** EZETIMIBE/SIMVASTATIN

**BRAND:** VYTORIN®

### **INDICATION:**

- (1) Hypercholesterolemia

### **Criteria:**

- (a) Failure of optimal dosing/duration or intolerance/contraindication to 2 formulary anti-lipid agents (with at least one agent being a statin)

## Prior Authorization Guidelines

**GENERIC:** FENOFIBRATE

**BRAND:** LIPOFEN<sup>®</sup>, TRIGLIDE<sup>®</sup>

**INDICATION:**

(1) Hypercholesterolemia, Hypertriglyceridemia

**Criteria:**

(a) Failure of generic fenofibrate 48, 54, 154, or 160 mg after a period of at least two months on the maximum dose appropriate and tolerated by the patient.

**GENERIC:** FENOFIBRIC ACID

**BRAND:** TRILIPIX<sup>®</sup>

**INDICATION:**

(1) Hypercholesterolemia, Hypertriglyceridemia

**Criteria:**

(a) Failure of generic fenofibrate 48, 54, 154 or 160 mg after a period of at least two months on the maximum dose appropriate and tolerated by the patient.

**GENERIC:** FENOFIBRATE MICRONIZED

**BRAND:** ANTARA<sup>®</sup>

**INDICATION:**

(1) Hypercholesterolemia, Hypertriglyceridemia

**Criteria:**

(a) Failure of generic fenofibrate 54 or 160 mg after a period of at least two months on the maximum dose appropriate and tolerated by the patient.

**GENERIC:** FENOFIBRIC ACID TAB

**BRAND:** FIBRICOR<sup>®</sup>

**INDICATIONS:**

(1) Hypercholesterolemia

(2) Hypertriglyceridemia

**Criteria:**

(a) Failure of generic Fenofibrates

## **Prior Authorization Guidelines**

**GENERIC:** FENTANYL TRANSDERMAL PATCH

**BRAND:** DURAGESIC®

**INDICATION:**

- (1) Persistent, moderate to severe chronic pain OR cancer-related pain that requires continuous, around-the-clock opioid (narcotic) administration for an extended period of time

**Criteria:**

- (a) Diagnosis of persistent, moderate to severe chronic or cancer-related pain requiring continuous, around-the-clock opioid administration for an extended period of time; **and**
- (b) Patient unable to take medications by mouth; **or**
- (c) Failure of or intolerance/contraindication to a long-acting oral opiate (narcotic) medication (controlled-release morphine, oxycodone, or oxymorphone)
- (d) Completion of Opioid Prior Authorization/Attestation Form required, available at <http://www.jaimedicalsystems.com/providers/pharmacy/>

**GENERIC:** FESOTERODINE

**BRAND:** TOVIAZ®

**INDICATION:**

- (1) Overactive bladder

**Criteria:**

- (a) Failure of Oxybutynin

**GENERIC:** FILGRASTIM

**BRAND:** NEUPOGEN®

**INDICATIONS:**

- (1) Prevention of neutropenia in patients receiving myelosuppressive chemotherapy for non-myeloid malignancies
- (2) Patients undergoing peripheral blood progenitor cell collection and therapy
- (3) Patients with severe chronic neutropenia

**Criteria:**

- (a) The patient is undergoing peripheral blood progenitor cell collection and therapy; **or**
- (b) Diagnosis of severe chronic neutropenia with an absolute neutrophil count (ANC) < 1,000; **or**

## **Prior Authorization Guidelines**

- (c) ANC nadir of < 1,000 neutrophils to previous chemotherapy. Once this has been documented, approval will be given to prophylax for all future chemo cycles.

*\* For injectable medications administered by a healthcare professional, please refer to the “Specialty Medication Guidelines” in the beginning of this formulary.*

*\* Please indicate estimated duration of therapy.*

**GENERIC:** FLUCONAZOLE

**BRAND:** DIFLUCAN<sup>®</sup>

(PA required after 150mg x2 tablet dispensed)

**INDICATIONS:**

- (1) Vaginal candidiasis
- (2) Cryptococcal meningitis
- (3) Serious systemic candidal infections
- (4) Oropharyngeal and esophageal candidiasis

**Criteria:**

- (a) Any of the above diagnoses; **except**
- (b) For the diagnosis of oropharyngeal candidiasis, failure of nystatin therapy; **and**
- (c) For the diagnosis of vaginal candidiasis, patients who are immunocompromised and/or have recurrent or refractory infections.

**GENERIC:** GALANTAMINE HYDROBROMIDE

**BRAND:** RAZADYNE<sup>®</sup>, RAZADYNE ER<sup>®</sup>

**INDICATION:**

- (1) Alzheimer’s disease: for the treatment of dementia

**Criteria:**

- (a) Confirmation by clinical evaluation

## **Prior Authorization Guidelines**

**GENERIC:** GATIFLOXACIN

**BRAND:** ZYMAXID®

**INDICATION:**

- (1) Bacterial conjunctivitis

**Criteria:**

- (a) Failure of, contraindication to, or intolerance to ciprofloxacin ophthalmic formulation.

**GENERIC:** GLATIRAMER ACETATE

**BRAND:** COPAXONE®

**INDICATIONS:**

- (1) Relapsing-remitting Multiple Sclerosis
- (2) To prevent or slow the development of clinically definite Multiple Sclerosis in patients who have experienced a first clinical episode and have MRI features consistent with Multiple Sclerosis

**Criteria:**

- (a) Prescribed by neurologist; and
- (b) Not requesting combination therapy of any 2 agents together: Copaxone, Betaseron, Avonex, Tysabri, Rebif, Gilenya, Aubagio, or Tecfidera

**GENERIC:** GLECAPREVIR-PIBRENTASVIR

**BRAND:** MAVYRET®

**INDICATION:**

- (1) Chronic Hepatitis C

**Criteria:**

- (a) Preferred for genotypes 1, 2, 3, 4, 5 and 6
- (b) Must follow the clinical criteria as set by the Maryland Department of Health
- (c) Special Hepatitis C PA request forms, treatment plan template, preferred status information, and full criteria can be obtained at <http://www.jaimedicalsystems.com/providers/pharmacy/> or by contacting ProCare at 1-800-555-8513

## **Prior Authorization Guidelines**

**GENERIC:** HYDROXOCOBALAMIN

**BRAND:** HYDROXOCOBALAMIN

**INDICATION:**

- (1) Vitamin B-12 deficiency

**Criteria:**

- (a) Patients who lack intrinsic factor; **or**
- (b) Patients who are on long-term PPI therapy; **or**
- (c) Patients with a partial or complete gastrectomy.

**GENERIC:** INTERFERON ALFA

**BRAND:** ROFERON-A<sup>®</sup>, INTRON-A<sup>®</sup>, and ALFERON N<sup>®</sup>

**INDICATIONS:**

- (1) Hairy cell leukemia
- (2) AIDS-related Kaposi's sarcoma
- (3) Chronic Hepatitis B or C
- (4) Malignant melanoma

**Criteria:**

- (a) Any of the above diagnoses.

*\* For injectable medications administered by a healthcare professional, please refer to the "Specialty Medication Guidelines" in the beginning of this formulary.*

**GENERIC:** INTERFERON BETA

**BRAND:** AVONEX<sup>®</sup>, BETASERON<sup>®</sup>, REBIF<sup>®</sup>

**INDICATIONS:**

- (1) Diagnosis of a relapsing form of Multiple Sclerosis; **or**
- (2) First clinical demyelinating event with MRI evidence consistent with Multiple Sclerosis

**Criteria:**

- (a) Prescribed by neurologist; **and**
- (b) If patient has a history of or is currently being treated for severe psychiatric disorders, suicidal ideation or severe depression, this condition is well controlled; **and**
- (c) Not requesting combination of any 2 agents together:  
Copaxone, Betaseron, Avonex, Tysabri, Rebif, Gilenya, Aubagio, or Tecfidera

*\* For injectable medications administered by a healthcare professional, please refer to the "Specialty Medication Guidelines" in the beginning of this formulary.*

## **Prior Authorization Guidelines**

**GENERIC:** ISOSORBIDE MONONITRATE

**BRAND:** IMDUR®

**INDICATION:**

- (1) Prevention of angina pectoris

**Criteria:**

- (a) Failure of formulary nitrates.

**GENERIC:** ITRACONAZOLE

**BRAND:** SPORANOX®

**INDICATIONS:**

- (1) Histoplasmosis infections
- (2) Aspergillosis infections
- (3) Blastomycosis

**Criteria:**

- (a) Any of the above diagnoses.

**GENERIC:** LANSOPRAZOLE

**BRAND:** PREVACID SOLU-TAB®

**INDICATION:**

- (1) Gastroesophageal reflux disease (GERD), heartburn, gastric ulcer, and duodenal ulcer.

**Criteria:**

- (a) Unable to ingest a solid dosage form (e.g. oral tablet or capsule) due to one of the following:
  - (1) Age
  - (2) Oral/motor difficulties
  - (3) Dysphagia
  - (4) Patient utilizes a feeding tube for medication administration

**GENERIC:** LEDIPASVIR-SOFOSBUVIR

**BRAND:** HARVONI®

**INDICATION:**

- (1) Chronic Hepatitis C

**Criteria:**

- (a) Generic tablet only
- (b) Must follow the clinical criteria as set by the Maryland Department of Health



## **Prior Authorization Guidelines**

- (c) Special Hepatitis C PA request forms, treatment plan template, preferred status information, and full criteria can be obtained at <http://www.jaimedicalsystems.com/providers/pharmacy/> or by contacting ProCare at 1-800-555-8513

**GENERIC:** LEUPROLIDE

**BRAND:** LUPRON<sup>®</sup>

### **INDICATIONS:**

- (1) Advanced prostate cancer
- (2) Central precocious puberty
- (3) Endometriosis
- (4) Uterine leiomyomata (fibroids)

### **Criteria:**

- (a) Diagnosis of advanced prostate cancer, precocious puberty or fibroids; **or**
- (b) For the diagnosis of endometriosis, failure of NSAIDS **and** oral contraceptives **or** endometriosis diagnosed by laparoscopy.

*\* Note: This agent is ordinarily administered at the physician's office. For injectable medications administered by a healthcare professional, Please refer to the "Specialty Medication Guidelines" in the beginning of this formulary.*

**GENERIC:** LIDOCAINE PATCH 5%

**BRAND:** LIDODERM PATCH 5%<sup>®</sup>

### **INDICATION:**

- (1) Relief of pain associated with post-herpetic neuralgia.

### **Criteria:**

- (a) Skin application site is intact, and
- (b) For the relief of pain associated with post-herpetic neuralgia; **and**
- (c) Failure, adverse reaction, or contraindication to two prescription analgesics, including formulary lidocaine topical cream or gel.

## **Prior Authorization Guidelines**

**GENERIC:** LIRAGLUTIDE

**BRAND:** VICTOZA®

**INDICATION:**

- (1) Adjunct to diet and exercise to improve glycemic control in patients with type II diabetes mellitus

**Criteria:**

- (a) Diagnosis of type II diabetes mellitus; **and**
- (b) Must be under the care of a healthcare provider skilled with the use of insulin and supported by a diabetes educator
- (c) Must have tried at least 2 antidiabetic agents such as metformin, sulfonylureas, thiazolidinedione or insulin and not achieved adequate glycemic control despite treatment or intolerant to other antidiabetic medications; **and**
- (d) Must have tried and failed or intolerant to treatment with Byetta; **and**
- (e) NO personal or family history of medullary thyroid carcinoma

**GENERIC:** LODOXAMDE TROMETHAMINE OPHTH SOLN 0.1%

**BRAND:** ALOMIDE®

**INDICATION:**

- (1) Allergic conjunctivitis

**Criteria:**

- (a) Failure or contraindication of Ketotifen

**GENERIC:** LUBIPROSTONE

**BRAND:** AMITIZA®

**INDICATION:**

- (1) Chronic idiopathic constipation
- (2) Irritable bowel syndrome
- (3) Opioid-induced constipation

**Criteria:**

- (a) Must have a diagnosis of either chronic idiopathic constipation, irritable bowel syndrome, or opioid-induced constipation; and
- (b) Failure of Miralax, Senna-S, and/or lactulose

## Prior Authorization Guidelines

**GENERIC:** MEMANTINE

**BRAND:** NAMENDA®

**INDICATION:**

- (1) Alzheimer's disease: for treatment of moderate-to-severe cases of dementia

**Criteria:**

- (a) Dementia must be confirmed by clinical evaluation; **and**
- (b) Documented dementia is either moderate or severe

**GENERIC:** MEPHYTON

**BRAND:** VITAMIN K

**INDICATION:**

- (1) Anticoagulant-induced prothrombin deficiency

**Criteria:**

- (a) Diagnosis of anticoagulant-induced prothrombin deficiency caused by coumadin or indandione derivatives

**GENERIC:** METHADONE

**BRAND:** METHADONE

**Criteria:**

- (a) Completion of Opioid Prior Authorization/Attestation Form required, available at <http://www.jaimedicalsystems.com/providers/pharmacy/>

**GENERIC:** METRONIDAZOLE VAGINAL GEL

**BRAND:** METROGEL®

**INDICATION:**

- (1) Bacterial vaginosis

**Criteria:**

- (a) Pregnancy; **or**
- (b) Intolerance to oral metronidazole

## **Prior Authorization Guidelines**

**GENERIC:** MILNACIPRAN

**BRAND:** SAVELLA®

**INDICATION:**

(1) Moderate to severe fibromyalgia

**Criteria:**

- (a) Diagnosis of fibromyalgia; **and**  
(b) Documented failure or contraindication to:  
    (1) Pain relievers (e.g. Tramadol); **or**  
    (2) Muscle Relaxants (e.g. cyclobenzaprine, Baclofen)

**GENERIC:** MIRABEGRON

**BRAND:** MYRBETRIQ®

**INDICATION:**

(1) Overactive bladder

**Criteria:**

(a) Failure of Oxybutynin oxycontinjanuvia

**GENERIC:** MORPHINE SULFATE SUSTAINED-RELEASE

**BRAND:** MS CONTIN®

**Criteria:**

- (a) Completion of Opioid Prior Authorization/Attestation Form required, available at  
<http://www.jaimedicalsystems.com/providers/pharmacy/>

**GENERIC:** MOXIFLOXACIN

**BRAND:** AVELOX®

**INDICATIONS:**

- (1) Acute bacterial sinusitis  
(2) Acute bacterial exacerbations of chronic bronchitis  
(3) Mild to moderate pelvic inflammatory disease  
(4) Complicated/Uncomplicated skin and skin structure infections  
(5) Community-acquired pneumonia  
(6) Complicated intra-abdominal infections

**Criteria:**

In patients  $\geq 18$  years of age with any of the above listed indications when:

- (a) Cultures show sensitivity to Avelox® only; **or**  
(b) Patient discharged on Avelox® from the hospital and needs to complete regimen on an outpatient basis

## **Prior Authorization Guidelines**

**GENERIC:** NAFARELIN

**BRAND:** SYNAREL®

**INDICATIONS:**

- (1) Central precocious puberty
- (2) Endometriosis

**Criteria:**

- (a) Diagnosis of central precocious puberty; **or**
- (b) For the diagnosis of endometriosis in patients  $\geq$  18 years of age, failure of NSAIDs **and** oral contraceptives, **or** endometriosis diagnosed by laparoscopy.

**GENERIC:** NUTRITIONAL SUPPLEMENTS

**BRAND:** ENSURE®, PEDIASURE®, BOOST®, VIVONEX®

**INDICATION:**

- (1) Nutritional supplementation

**Criteria:**

- (a) Patient must have enteral access via one of the following: nasogastric (NG) tube, nasoduodenal (ND) tube, nasojejunal (NJ) tube, percutaneous endoscopic gastrostomy (PEG) or percutaneous endoscopic jejunostomy (PEJ).

*To obtain nutritional supplements (e.g. Ensure or Pediasure) for members without enteral access, please follow the DME process. For assistance accessing the DME process, please contact Customer Service at 1-888-524-1999.*

**GENERIC:** OCTREOTIDE

**BRAND:** SANDOSTATIN®

**INDICATIONS:**

- (1) Symptomatic treatment of severe diarrhea and flushing episodes associated with metastatic carcinoid tumors
- (2) Profuse, watery diarrhea associated with vasoactive intestinal peptide (VIP) secreting tumors
- (3) To reduce the blood levels of growth hormone and IGF-I associated with acromegaly

**Criteria:**

- (a) Any of the above diagnoses; **and**
- (b) For the diagnosis of acromegaly, the patient has had an inadequate response to, or cannot be treated with surgical

## **Prior Authorization Guidelines**

- (c) resection, pituitary irradiation **and** bromocriptine at maximally tolerated doses.

*For injectable medications administered by a healthcare professional, please refer to the “Specialty Medication Guidelines” in the beginning of this formulary.*

**GENERIC:** OLODATEROL HCL

**BRAND:** STRIVERDI®

**INDICATION:**

- (1) COPD

**Criteria:**

- (a) Patient must be on, and not currently controlled on, an ICS (inhaled corticosteroid)

**GENERIC:** OLOPATADINE HCL OPHTH SOLN 0.2%

**BRAND:** PATADAY®

**INDICATION:**

- (1) Allergic conjunctivitis

**Criteria:**

- (a) Failure or contraindication to Ketotifen

**GENERIC:** OLOPATADINE HCL OPHTH SOLN 0.1%

**BRAND:** PATANOL®

**INDICATION:**

- (1) Allergic conjunctivitis

**Criteria:**

- (a) Failure or contraindication of Ketotifen

**GENERIC:** ONDANSETRON SOLUTION

**BRAND:** ZOFRAN®

**INDICATIONS:**

- (1) Chemotherapy induced nausea and vomiting  
(2) Post-operative nausea and vomiting  
(3) Radiation induced nausea and vomiting

**Criteria:**

- (a) For patients who have a contraindication or failure of ondansetron tablets

## **Prior Authorization Guidelines**

**GENERIC:** OXYCODONE, CONTROLLED-RELEASE

**BRAND:** OXYCONTIN®

**INDICATION:**

- (1) Persistent, moderate to severe chronic pain **or** cancer-related pain that requires continuous, around-the-clock opioid

(narcotic) administration for an extended period of time; not intended as an as-needed analgesic.

**Criteria:**

- (a) Persistent, moderate to severe chronic pain **or** cancer-related pain that requires around-the-clock analgesia for an extended period of time; **and**
- (b) For chronic pain, failure, intolerance, or contraindication to at least 2 short-acting formulary narcotic analgesics and controlled-release morphine (MS Contin, others) For cancer pain, failure intolerance, or contraindication to controlled-release morphine (MS Contin, others)
- (c) Completion of Opioid Prior Authorization/Attestation Form required, available at <http://www.jaimedicalsystems.com/providers/pharmacy/>

**GENERIC:** PALIVIZUMAB

**BRAND:** SYNAGIS®

**INDICATION:**

- (1) Prevention of serious lower respiratory disease caused by respiratory syncytial virus (RSV)

**Criteria:**

- (a) Administration within RSV season (Nov-Apr); **and**
- (b) Pt < 2 yrs of age at start of RSV season with chronic lung disease that has required treatment (supplemental oxygen, bronchodilator, diuretic or corticosteroid) within prior 6 months **or**
- (c) Pt born  $\leq$  28 weeks gestation and is  $\leq$  12 months at the start of the RSV season **or**
- (d) Pt born between 29-32 weeks gestation and is  $\leq$  6 months at the start of the RSV season **or**
- (e) Pt  $\leq$  24 months of age at the start of the RSV season with hemodynamically significant congenital heart disease, including one of the following:

## **Prior Authorization Guidelines**

- (1) Receiving medication to control congestive heart failure; **or**
  - (2) With moderate to severe pulmonary artery hypertension; **or**
  - (3) With cyanotic congenital heart disease; **or**
- (f) Pt born between 32-35 weeks gestation, and is  $\leq$  3 months at the start of the RSV season **and** has one of the following risk factors:
- (1) Child care attendance; **or**
  - (2) Siblings less than 5 years and children born between 32-35 weeks receive a maximum of 3 doses; **or**
- (g) Is the patient born before 35 weeks of gestation and has either congenital abnormalities of the airway or a neuromuscular condition that compromises handling of respiratory secretions during the first year of life?

**Once the prior authorization is received, please contact your Synagis provider. One such provider is Walgreens Specialty pharmacy:**

**Phone = 866-230-8102**

**Fax = 888-325-6544**

**GENERIC:** PEGINTERFERON ALFA-2A

**BRAND:** PEGASYS®

### **INDICATIONS:**

- (1) Use in combination with ribavirin or ribavirin and other Direct-Acting Antivirals for the treatment of chronic Hepatitis C
- (2) Treatment of chronic Hepatitis C in patients coinfectd with HIV whose HIV is clinically stable.
- (3) Treatment of patients with HBeAg positive and HBeAg negative chronic Hepatitis B

### **Criteria:**

**(In combination with ribavirin or ribavirin and other Direct-Acting Antivirals)**

- (a) Diagnosis as indicated above including any applicable labs and/or tests
- (b) Clinically documented chronic Hepatitis C with detectable HCV RNA levels  $> 50$  IU/mL
- (c) Age  $\geq$  3 years



## **Prior Authorization Guidelines**

- (d) Liver biopsy (unless contraindicated) indicates some fibrosis and inflammatory necrosis
- (e) Intolerant to Peg-Intron
- (f) If HIV positive, patient is clinically stable.
- (For chronic Hepatitis B)**
- (a) Documented HBeAg positive or negative chronic Hepatitis B
- (b) Compensated liver disease
  
- (c) Evidence of viral replication
- (d) Evidence of liver inflammation
- (e) Not contraindicated

**GENERIC:** PEGINTERFERON ALFA-2B

**BRAND:** PEG-INTRON<sup>®</sup>

### **INDICATIONS:**

- (1) Use in combination with ribavirin for the treatment of chronic Hepatitis C
- (2) Treatment of chronic Hepatitis C in patients coinfecting with HIV whose HIV is clinically stable.

### **Criteria:**

#### **(In combination with ribavirin or ribavirin and other Direct-Acting Antivirals)**

- (a) Diagnosis as indicated above including any applicable labs and/or tests
- (b) Clinically documented chronic Hepatitis C with detectable HCV RNA levels > 50 IU/mL
- (c) Age  $\geq$  3 years
- (d) Liver biopsy (unless contraindicated) indicates some fibrosis and inflammatory necrosis
- (e) If HIV positive, patient is clinically stable.

## Prior Authorization Guidelines

**GENERIC:** PENTOXIFYLLINE

**BRAND:** TRENTAL®

**INDICATION:**

- (1) Intermittent claudication

**Criteria:**

- (a) Pain on walking or ABI < 0.8; **or**
- (b) Diabetic foot ulcer; **or**
- (c) Gangrene; or
- (d) Risk of, or existing, amputation.

**GENERIC:** PIMECROLIMUS

**BRAND:** ELIDEL®

**INDICATION:**

- (1) Second-line therapy for the short-term and non-continuous chronic treatment of mild to moderate atopic dermatitis in non-immunocompromised adults and children 2 years of age and older, who have failed to respond adequately to other topical prescription treatments, or when treatments are not advisable.

**Criteria:**

- (a) Documented failure of optimal dosing/adequate duration; **or**
- (b) Intolerance or contraindication to at least one formulary topical corticosteroid; **and**
- (c) Diagnosis of mild to moderate atopic dermatitis; **and**
- (d) Using for short-term and non-continuous treatment.

**GENERIC:** RABEPRAZOLE

**BRAND:** ACIPHEX®

**INDICATIONS:**

- (1) Gastric hypersecretion, pathological conditions including Zollinger-Ellison Syndrome
- (2) Erosive esophagitis - gastroesophageal reflux disease
- (3) Erosive esophagitis, maintenance therapy - gastroesophageal reflux disease

**Criteria:**

- (a) Failure, intolerance, or contraindication to 2 formulary PPI after a period of at least two months on the maximum dose appropriate and tolerated by the patient.

## **Prior Authorization Guidelines**

**GENERIC:** RALOXIFENE

**BRAND:** EVISTA®

**INDICATION:**

- (1) Treatment and prevention of osteoporosis in postmenopausal women

**Criteria:**

- (a) Personal or family history of breast cancer; **or**
- (b) Intolerable side effects to at least one formulary estrogen.

**GENERIC:** RIBAVIRIN

**BRAND:** REBETOL®

**INDICATION:**

- (1) Indicated **only** in combination with a recombinant interferon alfa-2a or alfa-2b product or in combination with other Direct-Acting Antivirals for the treatment of chronic Hepatitis C.

**Criteria:**

- (a) Diagnosis of chronic Hepatitis C; **and**
- (b) Patient is receiving concomitant recombinant interferon alfa-2a or alfa-2b therapy or other Direct-Acting Antivirals.

**GENERIC:** REPAGLINIDE

**BRAND:** PRANDIN

**INDICATION:**

- (1) Type 2 diabetes mellitus

**Criteria:**

- (a) Diagnosis of Type 2 diabetes mellitus
- (b) Has not achieved adequate glycemic control on at least ONE of the following:
  - (1) Metformin (alone or in combination)
  - (2) A Sulfonylurea (alone or in combination)
  - (3) A preferred DPP-4 inhibitor
- (c) Contraindication of BOTH metformin and a sulfonylurea
- (d) Contraindication to a preferred DPP-4 inhibitor

## **Prior Authorization Guidelines**

**GENERIC:** RILUZOLE

**BRAND:** RILUTEK®

**INDICATION:**

(1) Amyotrophic lateral sclerosis (ALS)

**Criteria:**

(a) Diagnosis of ALS.

**GENERIC:** RIVASTIGMINE TARTRATE

**BRAND:** EXELON®

**INDICATION:**

(1) Alzheimer's disease: for the treatment of dementia

**Criteria:**

(a) Confirmation by clinical evaluation

**GENERIC:** RIZATRIPTAN

**BRAND:** MAXALT®

**INDICATION:**

(1) Acute treatment of migraine headache

**Criteria:**

- (a) Failure of, intolerance to, or contraindication to one traditional formulary agent (NSAID's, ergotamine, or combination analgesic); **or**
- (b) Unsuccessful concurrent or previous use of migraine prophylaxis medications (e.g., beta-blockers, calcium channel blockers, tri-cyclic antidepressants or anticonvulsants); **and**
- (c) Patient is not currently using ergotamine or another 5-HT<sub>1</sub> Receptor Agonist.

**GENERIC:** ROPINIROLE

**BRAND:** REQUIP®

**INDICATIONS:**

- (1) For the treatment of signs and symptoms of idiopathic Parkinson's disease.
- (2) Moderate to severe primary Restless Leg Syndrome.

**Criteria:**

- (a) Diagnosis of idiopathic Parkinson's disease; **or**
- (b) Diagnosis of Restless Leg Syndrome and normal iron stores (serum ferritin and/or iron-binding saturation)

## **Prior Authorization Guidelines**

**GENERIC:** SALMETEROL / FLUTICASONONE

**BRAND:** ADVAIR® / ADVAIR HFA®

**INDICATION:**

- (1) Long-term, twice-daily maintenance treatment of asthma in patients 4 years of age and older.

**Criteria:**

- (a) Currently on, but not controlled by an inhaled corticosteroid
- (b) Twice daily maintenance treatment of airflow obstruction in patients with chronic obstructive pulmonary disease.

**Criteria for the 250/50mg Strength:**

- (a) The 250/50mg strength is the only approved strength for COPD **and**
- (b) The patient must be reevaluated after 6 months

*\* For members currently with an approved prior authorization for Advair, claims will process as long as the member has filled Advair within the last 4 months. No yearly renewal will be needed for compliant members. Prior authorization will be required for members new to the plan, new to Advair therapy, or with no claim history of Advair within the last 4 months. Once approved, 90-day supplies are allowed.*

**GENERIC:** SALMETEROL XINAFOATE

**BRAND:** SEREVENT DISKUS®

**INDICATIONS:**

- (1) Maintenance treatment of asthma and prevention of bronchospasm in adults and children 4 years of age and older
- (2) Prevention of exercise-induced bronchospasm in patients 4 years of age and older
- (3) Serevent Diskus® is indicated for the maintenance treatment of bronchospasm associated with chronic obstructive pulmonary disease

**Criteria:**

- (a) Currently on but not controlled by an inhaled corticosteroid

## Prior Authorization Guidelines

**GENERIC:** SILDENAFIL

**BRAND:** REVATIO®

**INDICATION:**

(1) Pulmonary Arterial Hypertension (PAH)

**Criteria:**

- (a) For the treatment of PAH; **and**
- (b) Current utilization of nitrates is contraindicated; **and**
- (c) Age limit of 2 years and younger for the solution

**GENERIC:** SIMVASTATIN 80mg

**BRAND:** ZOCOR®

**INDICATIONS:**

- (1) Heterozygous or homozygous familial hypercholesterolemia
- (2) Familial type 3 hyperlipoproteinemia
- (3) Hypertriglyceridemia
- (4) Primary hypercholesterolemia, or mixed hyperlipidemia
- (5) Decrease cardiovascular event risk in patients with high coronary event risk

(6) Cerebrovascular accident prophylaxis

**Criteria:**

- (a) Age  $\leq$  65 years
- (b) Male gender (female gender predisposed to myopathy including rhabdomyolysis)
- (c) Controlled hypothyroidism
- (d) Normal renal function
  
- (e) Documentation of all cholesterol lowering agents tried and failed must be provided.

**GENERIC:** SITAGLIPTIN PHOSPHATE

**BRAND:** JANUVIA®

**INDICATION:**

(1) Type 2 Diabetes Mellitus

**Criteria:**

- (a) Diagnosis of type 2 diabetes mellitus and
- (b) Must be used adjunct to diet and exercise and
- (c) Failure or contraindication to metformin or
- (d) Failure or contraindication of sulfonylurea or thiazolidinedione

## **Prior Authorization Guidelines**

**GENERIC:** SOFOSBUVIR-VELPATASVIR

**BRAND:** EPCLUSA®

**INDICATION:**

- (1) Chronic Hepatitis C

**Criteria:**

- (a) Generic tablets only
- (b) Preferred for genotypes 1, 2, 3, 4, 5 and 6
- (c) Must follow the clinical criteria as set by the Maryland Department of Health
- (d) Special Hepatitis C PA request forms, treatment plan template, preferred status information, and full criteria can be obtained at <http://www.jaimedicalsystems.com/providers/pharmacy/> or by contacting ProCare at 1-800-555-8513

**GENERIC:** SOFOSBUVIR-VELPATASVIR-VOXILAPREVIR

**BRAND:** VOSEVI®

**INDICATION:**

- (1) Chronic Hepatitis C

**Criteria:**

- (a) For retreatment only
- (b) Must follow the clinical criteria as set by the Maryland Department of Health
- (c) Special Hepatitis C PA request forms, treatment plan template, preferred status information, and full criteria can be obtained at <http://www.jaimedicalsystems.com/providers/pharmacy/> or by contacting ProCare at 1-800-555-8513

**GENERIC:** SOLIFENACIN

**BRAND:** VESICARE®

**INDICATION:**

- (1) Overactive bladder

**Criteria:**

- (a) Failure of Oxybutynin

**GENERIC:** SOMATROPIN

**BRAND:** HUMATROPE®

**INDICATIONS:**

- (1) Growth failure in children due to inadequate growth hormone (GH) secretion

## **Prior Authorization Guidelines**

- (2) Idiopathic short stature in children defined by height standard deviation (SD) score less than or equal to -2.25 and growth rate not likely to attain normal adult height
- (3) Short stature in children associated with Turner syndrome

### **Criteria:**

- (a) Patient with open epiphyses (as confirmed by radiograph of wrist and hand) who has not reached final height; **and**
- (b) Medication prescribed by an endocrinologist; **and**
- (c) Patient meets one of the following criteria:
  - (1) Growth Hormone Deficiency (GHD) with diagnosis confirmed by one of the following:
    - i. Severe short stature defined as patient's height at  $\geq 2$  SD below the population mean
    - ii. Patient's height  $\geq 1.5$  SD below the midparental height (average of mother's and father's heights)
    - iii. Patient's height  $\geq 2$  SD below the mean and a 1-year height velocity more than 1 SD below the mean for chronologic age or (in children 2 years of age or older) a 1-year decrease of more than 0.5 SD in height
    - iv. In the absence of short stature, a 1-year height velocity more than 2 SD below the mean or a 2-year height velocity more than 1.5 SD below the mean (may occur in GHD manifesting during infancy or in organic, acquired GHD)
    - v. Signs indicative of an intracranial lesion
    - vi. Signs of multiple pituitary hormone deficiencies
    - vii. Neonatal symptoms and signs of GHD
  - (2) Idiopathic short stature with patient's height at  $\geq 2.25$  SD below the mean height for normal children of the same age and gender
  - (3) Short stature associated with Turner syndrome and height below the 5<sup>th</sup> percentile of normal growth curve

*\* To continue therapy, requests will be reviewed every six months.*

*For injectable medications administered by a healthcare professional, please refer to the "Specialty Medication Guidelines" in the beginning of this formulary.*



## **Prior Authorization Guidelines**

**GENERIC:** SUCCIMER

**BRAND:** CHEMET<sup>®</sup>

**INDICATIONS:**

- (1) Treatment of lead poisoning in children with blood lead levels > 45 mcg/dl
- (2) Unlabeled uses: Succimer may be beneficial in the treatment of other heavy metal poisonings

**Criteria:**

- (a) Diagnosis of lead poisoning with blood levels > 45mcg/dl; **and**
- (b) Child is hospitalized; **or**
- (c) Child was started on the medication in the hospital and needs to continue upon discharge.

**GENERIC:** SUCRALFATE SUSPENSION

**BRAND:** CARAFATE<sup>®</sup>

**INDICATIONS:**

- (1) Gastric ulcers
- (2) Duodenal ulcers
- (3) Gastritis
- (4) GERD

**Criteria:**

- (a) For patients who have a contraindication or failure of sucralfate tablets

**GENERIC:** TACROLIMUS

**BRAND:** PROTOPIC<sup>®</sup>

**INDICATION:**

- (1) Moderate to severe atopic dermatitis

**Criteria:**

- (a) Patient must be non-immunocompromised **and**
- (b) Must be at least 2 years of age or older for the 0.03% strength;  
**or**
- (c) 16 years of age or older for 0.1% strength **and**
- (d) Diagnosis of atopic dermatitis
- (e) Documented failure of 2 different topical corticosteroids of medium to high potency in the past 90 days
- (f) Must be prescribed by a dermatologist, allergist, or for children, a pediatrician

## Prior Authorization Guidelines

**GENERIC:** TERIFLUNOMIDE

**BRAND:** AUBAGIO®

**INDICATION:**

(1) Diagnosis of a relapsing form of Multiple Sclerosis

**Criteria:**

- (a) Prescribed by neurologist; **and**
- (b) Not requesting combination of any 2 agents together:  
Copaxone, Betaseron, Avonex, Tysabri, Rebif, Gilenya,  
Aubagio, or Tecfidera.

**GENERIC:** TESTOSTERONE

**BRAND:** ANDROGEL®, TESTIM®

**INDICATION:**

(1) Hypogonadism

**Criteria:**

- (a) Must be prescribed by an Endocrinologist
- (b) Initial therapy: The patient has documented low testosterone concentration
- (c) Renewal: The patient has documented therapeutic concentration to confirm response

**Criteria for transgender members:**

- (a) Referral from mental health professional; **and**
- (b) Persistent, well-documented gender dysphoria; **and**
- (c) Capacity to make fully informed decision and to consent for treatment; **and**
- (d) 18 years of age or older

**GENERIC:** THROMBIN

**BRAND:** THROMBIN

**INDICATION:**

(1) Hemostasis

**Criteria:**

- (a) Diagnosis of a bleeding disorder

## Prior Authorization Guidelines

**GENERIC:** TOLTERODINE

**BRAND:** DETROL<sup>®</sup>/DETROL LA<sup>®</sup>

**INDICATION:**

(1) Overactive bladder

**Criteria:**

(a) Failure of oxybutynin

**GENERIC:** TRAMADOL ER

**BRAND:** ULTRAM ER<sup>®</sup>

**INDICATION:**

(1) Pain, chronic (moderate to severe)

**Criteria:**

(a) For patients who have a contraindication or failure of tramadol regular release tablets

(b) Completion of Opioid Prior Authorization/Attestation Form required, available at

<http://www.jaimedicalsystems.com/providers/pharmacy/>

**GENERIC:** TROSPIUM

**BRAND:** SANCTURA<sup>®</sup>

**INDICATION:**

(1) Overactive bladder

**Criteria:**

(a) Failure of Oxybutynin

**GENERIC:** UMECLIDINIUM BROMIDE/VILANTEROL  
RIFENATATE

**BRAND:** ANORO ELLIPTA<sup>®</sup>

**INDICATION:**

(1) Chronic obstructive pulmonary disease (COPD): maintenance of airflow obstruction in patients with COPD, including chronic bronchitis and emphysema.

**Criteria:**

(a) Trial of long acting or short acting inhaled anticholinergic (Spiriva, Tudorza, Atrovent) within the last 120 days without adequate control of symptoms

## **Prior Authorization Guidelines**

**GENERIC:** VALSARTAN

**BRAND:** DIOVAN®

**INDICATION:**

(2) Hypertension

**Criteria:**

(d) Failure or contraindication of 2 formulary ARBs (irbesartan, Losartan)

**GENERIC:** ZOLMITRIPTAN TABLETS

**BRAND:** ZOMIG®

**INDICATION:**

(1) Acute treatment of migraine headache

**Criteria:**

- (a) Failure of, intolerance to, or contraindication to one traditional formulary agent (NSAID, ergotamine, or combination analgesic); **or**
- (b) Unsuccessful concurrent or previous use of migraine prophylaxis medications (e.g., beta-blockers, calcium channel blockers, tri-cyclic antidepressants or anticonvulsants); **and**
- (c) Patient is not currently using ergotamine or another 5-HT<sub>1</sub> Receptor Agonist

<u>Product Name</u>	<u>Page</u>	<u>Product Name</u>	<u>Page</u>
A/B OTIC	19	Aluminum Hydroxide Gel*	11
ABACAVIR	3	AMANTADINE	15
ABACAVIR-LAMIVUDINE	3	Amantadine*	3
ABACAVIR-LAMIVUDINE-ZIDOV T	3	AMARYL	6
Acarbose*	6	AMETHYST	5
ACCUPRIL	7	AMINOPHYLLINE	11
ACETAMINOPHEN W / COD	14	Aminophylline*	11
Acetaminophen w/ Codeine Sol*	14	Amiodarone*	8
Acetaminophen w/ Codeine*	14	AMITIZA	11
Acetaminophen w/ Hydrocodone*	14	Amlodipine & Atorvastatin*	9
Acetaminophen*	16	Amlodipine & Benazepril*	7
ACETASOL HC	19	Amlodipine*	7
Acetazolamide*	8	Ammonium Lactate*	20
ACETEST	21	Amox & K Clavulanate*	1
Acetone Tablets	21	Amoxicillin*	1
Acetone Test*	21	AMOXIL	1
Acetylcysteine*	10	AMPICILLIN	1
ACIPHEX	12	Ampicillin*	1
Aclidinium Bromide	10	AMPYRA	21
ACTONEL	7	ANAPROX	14
ACTOPLUS MET	6	Anastrozole*	4
ACTOPLUS MET XR	6	and Iron*	16
ACTOS	6	ANDROGEL, TESTIM	4
Acyclovir	20	ANDROID	4
Acyclovir*	3	ANORO ELLIPTA	10
ADALAT CC, PROCARDIA XL	7	ANTARA	9
Adalimumab	21	Antihemophilic Factor (Human)	17
Adapalene*	20	Antihemophilic Factor (Recombinate)	17
ADVAIR, ADVAIR HFA	10	Antiinhibitor Coagulant Complex	17
ADVICOR	9	Antithrombin III (Human)	17
Afatinib Dimaleate	4	ANUSOL-HC	19
AK-TRACIN	18	APAP/Caffeine/Butalbital*	14
Al Hydrox-Mag Carb*	12	Apixaban	17
ALAVERT, CLARITIN	10	Aprepitant	12
Albendazole	2	APRESOLINE	8
ALBENZA	2	AP-ZEL, BACMIN, CENTRUM	16
Albuterol	10	ARALEN	1
ALBUTEROL NEBULIZER SOLUTION	10	ARANESP	17
Albuterol*	10	ARICEPT	18
Albuterol-Ipratropium*	10	ARIMIDEX	4
ALCOHOL PADS	21	AROMASIN	4
Alcohol Swabs*	21	ASPIRIN / CODEINE	14
ALDACTAZIDE	9	ASPIRIN BUFFERED	14
ALDACTONE	9	Aspirin Enteric Coated*	14
Alendronate + Cholecalciferol	7	Aspirin w/ Codeine*	14
Alendronate*	7	Aspirin with Buffers*	14
ALFERON N	4	Aspirin zero order*	14
ALKERAN	3	Aspirin/Caffeine/Butalbital*	14
ALLEGRA OTC, ALLEGRA	10	ASTELIN	10
ALLEGRA-D OTC 12hr, 24hr	10	Atazanavir	3
Allopurinol*	15	Atazanavir and Cobicistat	3
ALOMIDE	18	ATAZANAVIR SULFATE	3
ALPHAGAN 0.2%, ALPHAGAN P 0.15%	19	Atenolol & Chlorthalidone*	8
ALTACE	8	Atenolol*	7
Aluminum & Magnesium Hydroxide*	12	Atorvastatin*	9
ALUMINUM HYDROXIDE	11	ATRIPLA	3

<u>Product Name</u>	<u>Page</u>	<u>Product Name</u>	<u>Page</u>
Atropine Sulfate*	19	BLEPH-10	12
ATROVENT HFA	10	BLEPHAMIDE	19
ATROVENT NASAL	10	Blood Glucose Monitoring Tests*	21
AUBAGIO	21	BONIVA	7
AUGMENTIN	1	Brimonidine Tartrate	19
AVALIDE	8	Bromocriptine*	15
AVAPRO	8	BROMPHENIRAMINE	11
AVC	13	BROMPHENIRAMINE / PSEUDOEPHEDRINE	11
AVELOX	1	Brompheniramine / Pseudoephedrine*	11
AVONEX	4	Brompheniramine*	11
AYGESTIN	5	Budesonide	10
Azathioprine*	21	Budesonide*	10
Azelastine*	10	Budesonide-Formoterol	10
Azelastine 0.05% eye drops	10	Busulfan	3
Azithromycin suspension*	1	Butabarbital	13
Azithromycin*	1	BUTISOL	13
AZMACORT	10	Butoconazole Nitrate*	13
AZULFIDINE	2	BYETTA	6
AZULFIDINE	12	CADUET	9
BACITRACIN	18	CALAN, SR	7
Bacitracin*	19	Calcipotriene*	20
Bacitracin*	19	Calcitonin (Salmon)	6
BACITRACIN-POLYMYXIN-NEOMYCIN-HC	19	Calcitonin (Salmon)*	6
Bacitracin-Polymyxin B*	18	Calcitriol*	16
Bacitracin-Polymyxin-Neomycin-HC*	19	Calcium Acetate*	16
BACLOFEN	15	Calcium Carbonate*	16
Baclofen*	15	Calcium Carbonate*	14
BACTRIM / DS	2	CALIBRATION SOLUTION	21
BACTROBAN	19	Calibration Solution*	21
BASAGLAR	6	Canagliflozin	6
B-D INSULIN SYRINGE	21	Capecitabine*	4
Beclomethasone Dipropionate	10	CAPTOPRIL	9
BENADRYL	9	Captopril*	9
BENADRYL	10	CARAFATE SUSPENSION	12
Benazepril*	8	CARAFATE TABLETS	12
BENTYL	12	Carbamide Peroxide*	19
BENZAC W	20	Carbidopa-Levodopa*	15
Benzocaine & Antipyrine*	19	CARDIZEM/CD, DILACOR/XR	7
Benzonatate*	11	CARDURA	8
Benzoyl Peroxide*	20	Carvedilol*	7
BETAMETHASONE DIPROPIONATE	20	CASODEX	4
Betamethasone Dipropionate*	20	CATAPRES	8
BETAMETHASONE VALERATE	20	CEFACTOR	1
Betamethasone Valerate*	20	Cefaclor*	1
BETAPACE	7	CEFDINIR	1
BETASERON	4	Cefdinir*	1
Betaxolol*	18	Cefixime	1
Bethanechol*	13	CEFPROZIL	1
BETIMOL, TIMOPTIC	19	Cefprozil*	1
BETOPTIC, BETOPTIC S	18	CEFTIN	1
BIAXIN	1	Ceftriaxone*	1
Bicalutamide*	4	Cefuroxime*	1
BICILLIN	1	CELEBREX	15
Biktarvy	3	Celecoxib	15
Bisacodyl*	11	CELLCEPT	21
Bismuth Subsalicylate*	11	Cephalexin*	1

<u>Product Name</u>	<u>Page</u>	<u>Product Name</u>	<u>Page</u>
CEPHRADINE	1	COLESTID	9
Cephadrine*	1	Colestipol*	9
CERALYTE, CERASPORT	16	Collagenase	20
Cetirizine tabs*	10	COMBIVENT RESPIMAT	10
Cetirizine*	10	COMBIVIR	3
Charcoal Activated	21	Complera	3
CHARCOCAPS	21	COMTAN	15
CHEMET	21	Condoms	21
Chlorambucil	3	CONDYLOX	20
Chlorhexidine*	2	Conjugated Estrogens &	5
Chloroquine*	2	COPAXONE	4
Chlorothiazide*	9	CORDARONE	8
CHLORPHENIRAMINE	11	COREG	7
Chlorpheniramine*	11	CORTEF	4
CHLORTHALIDONE	8	CORTISONE	4
Chlorthalidone*	9	Cortisone*	4
Cholecalciferol*	16	CORTISPORIN	19
Cholestyramine*	9	CORTISPORIN	19
CHOLINE & MAG SALICYLATE	14	CORTISPORIN	19
Choline & Mag Salicylate*	14	COSOPT	18
Cilostazol	18	COUMADIN	17
CILOXAN	18	COZAAR	8
CIPRO	1	CREON, ZENPEP, ULTRESA	12
Ciprofloxacin*	1	CRESTOR	9
CITROMA	11	Cromolyn (inhalation)*	10
Clarithromycin*	1	Cromolyn (nasal)*	12
CLARITIN-D 12hr, 24hr	10	CRYSSELLE, OGESTREL	5
Clemastine*	11	CUPRIMINE	21
CLEOCIN	13	Cyanocobalamin*	17
CLEOCIN	13	CYCLESSA	5
CLEOCIN	20	CYCLOBENZAPRINE	15
CLIMARA	5	Cyclobenzaprine*	15
Clindamycin Phosphate*	20	Cyclophosphamide*	3
Clindamycin*	13	Cycloserine	2
Clindamycin*	1	Cyclosporine Microsize*	21
CLINITEST	21	CYTOMEL	6
Clobetasol Propionate*	20	CYTOVENE	2
Clonidine & Chlorthalidone*	8	CYTOXAN	3
Clonidine*	8	Dabigatran	17
Clonidine*	18	Dalfampridine	21
Clopidogrel*	18	DANAZOL	4
CLORPRES	8	Danazol*	4
Clotrimazole Topical*	20	DANTRIUM	15
CLOTTRIMAZOLE TROCHE	19	Dantrolene*	15
Clotrimazole Vag*	13	DAPSONE	2
Clotrimazole*	19	Dapsone*	2
CLOXACILLIN SODIUM	1	DARAPRIM	1
Cloxacillin Sodium*	1	Darbepoetin	17
COAL TAR SHAMPOO	20	Darifenacin Hydrobromide	13
Coal Tar*	20	Darunavir and Cobicistat	3
CODEINE PHOSPHATE	14	Darunavir Ethanolate	3
Codeine Phosphate*	14	DDAVP	7
CODEINE SULFATE	14	DEBROX	19
Codeine Sulfate*	16	DEMEROL	14
COLACE	14	DEPO-PROVERA	5
Colchicine	14	DEPO-SQ PROVERA 104	5

## ProCare / Jai Medical Systems Therapeutic Formulary

<u>Product Name</u>	<u>Page</u>	<u>Product Name</u>	<u>Page</u>
COLCRYS	15	EFUDEX	20
DESCOVY	3	EFUDEX	4
Desmopressin*	7	Elbasvir-Grazoprevir	3
DESOGEN, ORTHO-CEPT	5	ELDEPRYL	15
Desogest-Eth Estrad & Eth Estrad	5	ELIDEL	20
Desogest-Ethin Est*	5	ELIMITE	20
Desogestrel & Ethinyl Estradiol*	5	ELIQUIS	17
Desonide*	10	ELURYNG	5
DESOWEN	20	EMEND	12
DETROL	13	EMLA	15
DEXAMETHASONE	18	Empagliflozin	6
Dexamethasone*	18	Empagliflozin/linagliptin	6
Dexamethasone*	18	Emtricitabine / Tenofovir	3
DIABETA, GLYNASE	6	Emtricitabine / Tenofovir Alafenamide	3
DIAMOX	8	ENABLEX	13
Diclofenac Sodium*	19	Enalapril*	8
Diclofenac*	20	ENBREL	21
DICLOXACILLIN SODIUM	1	ENFAMIL / SIMILAC	17
Dicloxacillin Sodium*	1	Enoxaparin*	17
Dicyclomine*	12	ENSURE, PEDIASURE, BOOST,	17
DIFFERIN	20	Entacapone*	15
DIFLUCAN	2	ENTRESTO	9
Digoxin*	7	EPCLUSA	3
DILANTIN	15	Epinephrine	9
DILAUDID	14	Epinephrine	10
Diltiazem*	7	EPI-PEN, EPI-PEN JR, ADRENACLICK	10
Dimethyl Fumarate	21	EPI-PEN, EPI-PEN JR, ADRENACLICK	10
DIOVAN	8	EPIVIR	3
DIOVAN HCT	8	Epoetin Alfa	17
Diphenhydramine*	9	EPOGEN	17
Diphenoxylate w/ Atropine*	11	Epzicom	3
Dipyridamole*	7	Ergocalciferol*	16
DISALCID	14	Ergoloid mesylates*	15
Disopyramide*	8	Erlotinib	4
Disposable Needles & Syringes*	21	ERYGEL	20
DITROPAN	13	ERY-TAB	1
DIURIL	9	ERYTHROCIN	1
Docusate Sodium*	11	Erythromycin Base*	1
Dolutegravir	3	ERYTHROMYCIN ESTOLATE	1
Dolutegravir, Abacavir, and Lamivudine	3	Erythromycin Estolate*	1
Donepezil*	18	Erythromycin Ethylsuccinate*	1
Dorzolamide HCL-Timolol Maleate*	18	Erythromycin Gel*	20
Dorzolamide*	19	Erythromycin Stearate*	1
DOVONEX	20	Erythromycin*	18
Doxazosin*	8	ERYTHROMYCIN/SULFISOXAZOLE	2
Doxycycline*	1	Erythromycin/Sulfisoxazole*	2
DRISDOL	16	Esomeprazole Magnesium	12
Drospirenone-Eth Estrad Levomefolate	5	Esterified Estrogens	5
Drospirenone-Ethinyl Estradiol*	5	ESTRACE	5
DUETACT	6	Estradiol TD Patch*	5
DULAGLUTIDE	6	Estradiol Valerate-Dienogest	5
DULCOLAX	11	Estradiol*	5
DUONEB	10	Estrogens, Conjugated	5
DURAGESIC	14	ESTROSTEP FE	5
E.E.S.	1	Etanercept	21
ECOTRIN	14	Ethambutol*	2



<u>Product Name</u>	<u>Page</u>	<u>Product Name</u>	<u>Page</u>
EFAVIRENZ	3	Flunisolide*	10
Efavirenz / Emtricitabine / Tenofovir	3	FLUOCINONIDE	20
Ethionamide	2	Fluocinonide Acetonide*	20
Ethosuximide*	15	Fluocinonide*	20
Ethinodiol Diacet-Eth Estrad*	5	Fluorouracil*	4
ETODOLAC	14	Fluorouracil*	20
Etodolac*	14	FLURBIPROFEN	14
Etonogestrel-Ethinyl Estradiol	5	Flurbiprofen*	14
ETOPOSIDE	4	Flurbiprofen*	19
Etoposide*	4	FLUTAMIDE	4
Etravirine	3	Flutamide*	4
EVISTA	7	Fluticasone	10
Evolocumab	9	Fluticasone*	10
EVOTAZ	3	Fluvastatin*	9
EXELON	18	FOLIC ACID	17
Exemestane*	4	Folic Acid & Vitamin B Complex*	16
Exenatide	6	Folic Acid*	17
Ezetimibe	9	FORTEO	7
Ezetimibe + Simvastatin	9	FOSAMAX	7
Famotidine*	12	FOSAMAX PLUS D	7
FEIBA VH	17	FOSINOPRIL	8
FELDENE	14	Fosinopril*	8
FELODIPINE	7	FURADANTIN	13
Felodipine*	7	Furosemide*	9
FEMARA	4	Galantamine*	18
FEMCON FE	5	Ganciclovir*	2
Fenofibrate	9	GARAMYCIN	2
Fenofibrate acid*	9	Gatifloxacin*	18
Fenofibrate micronized	9	Gemfibrozil*	9
Fenofibrate tablets*	9	GENTAK	18
Fenofibrate*	9	GENTAMICIN	19
Fenofibric Acid	9	Gentamicin Sulfate*	2
Fenoprofen*	14	Gentamicin Sulfate*	18
Fentanyl*	14	Gentamicin Sulfate*	19
FEOSOL	17	Genvoya	3
FERGON	17	GG/Codeine sol*	11
Ferrous Gluconate*	17	GILOTRIF	4
Ferrous Sulfate*	17	Glatiramer acetate	4
Fesoterodine Fumarate	13	Glecaprevir-Pibrentasvir	3
Fexofenadine / Pseudoephedrine*	10	Glimepiride*	6
Fexofenadine*	10	Glipizide*	6
FIBERCON	11	Glucagon	6
FIBRICOR	9	GLUCOLET / AUTOLET	21
Filgrastim	17	GLUCOMETER	21
Finasteride*	13	GLUCOPHAGE	6
FIORICET	14	GLUCOSE BLOOD	21
FIORINAL	14	Glucose Blood*	21
FLAGYL	2	Glucose Urine Test*	21
FLAVOXATE	13	GLUCOTROL/XL	6
Flavoxate*	13	Glyburide*	6
Flecainide*	8	GLYCERIN	9
FLOMAX	8	GLYCERIN	11
FLONASE	10	Glycerin Supp*	9
FLO-PRED	4	Glycerin*	11
FLOVENT HFA	10	GLYXAMBI	6
Fluconazole*	2	GOLYTELY	11

<u>Product Name</u>	<u>Page</u>	<u>Product Name</u>	<u>Page</u>
FLUDROCORTISONE	4	GRIFULVIN V	2
Fludrocortisone*	4	Insulin Reg & Isophane	6
Griseofulvin Microsize*	2	Insulin Reg & NPH	6
Griseofulvin Ultramicronsize*	2	Insulin Regular	6
GRIS-PEG	2	INTAL	10
GUAIFENESIN	11	INTELENCE	3
GUAIFENESIN DM	11	Interferon Alfa-2A	4
Guaifenesin*	11	Interferon Alfa-2B	4
Guaifenesin/DM*	11	Interferon Alfa-n3	4
Guanfacine*	8	Interferon Beta-1a	4
Guanfacine*	18	Interferon Beta-1b	4
GUIATUSS AC	11	INTRON-A	4
GYNAZOLE-1	13	INTUNIV	18
HARVONI	3	INVOKANA	6
HUMALOG	6	IPECAC	21
HUMATROPE ONLY	7	Ipecac*	21
HUMIRA	21	Ipratropium	10
HUMULIN 50/50	6	Ipratropium*	10
HUMULIN 70/30	6	Ipratropium-Albuterol	10
HUMULIN N	6	Irbesartan & HCTZ*	8
HUMULIN R	6	Irbesartan*	8
HYDERGINE	15	ISENTRESS	3
HYDRALAZINE & HCTZ	8	ISONIAZID	2
Hydralazine & HCTZ*	8	Isoniazid*	2
Hydralazine*	8	ISOPTO ATROPINE	19
HYDREA	4	ISOPTO-CARPINE	19
HYDROCHLOROTHIAZIDE	9	ISORDIL, ISORDIL TEMBIDS	7
Hydrochlorothiazide*	9	Isosorbide Dinitrate*	7
HYDROCORTISONE	20	Isosorbide Mononitrate*	7
Hydrocortisone w/Acetic Acid*	19	Itraconazole*	2
Hydrocortisone*	19	Ivermectin*	2
Hydrocortisone*	19	JANUVIA	6
Hydrocortisone*	19	JARDIANCE	6
Hydromorphone*	14	Juluca	3
HYDROXOCOBALAMIN	17	KALETRA	3
Hydroxocobalamin*	17	KAPVAY	18
Hydroxychloroquine*	1	KAYEXALATE	21
Hydroxyprogesterone	5	KEFLEX	1
Hydroxyurea*	4	KENALOG	20
Hyoscyamine Sulfate*	12	KERALAC, UMECTA	20
Hyoscyamine*	13	Ketoconazole*	2
HYZAAR	8	KETOSTIX	21
Ibandronate*	7	Ketotifen Fumarate Opth Soln*	18
Ibuprofen*	14	KLOR-CON	16
IMDUR	7	KOATE-DVI, HP, HEMOFIL M	17
IMITREX	15	Labetalol*	7
IMODIUM	11	LAC-HYDRIN	20
IMURAN	21	LACTULOSE	11
ICLEVIA	5	LAMISIL	2
INDAPAMIDE	9	Lamivudine	3
Indapamide*	9	Lamivudine HBV	3
INDERAL/LA	7	Lamivudine-Zidovudine	3
INDOCIN	14	Lancet Device	21
Indomethacin*	14	LANCETS	21
Infant Foods	17	Lancets*	21
Insulin Aspart	6	LANOXIN	7

## ProCare / Jai Medical Systems Therapeutic Formulary

<u>Product Name</u>	<u>Page</u>	<u>Product Name</u>	<u>Page</u>
Insulin Glargine	6	LOTREL	7
Insulin Isophane	6	LOTRIMIN	20
Insulin Lispro	6	Lovastatin*	9
Insulin Pen Needles	21	LOVAZA	9
Lansoprazole*	12	LOVENOX	17
LANTUS	6	Lubiprostone	11
LASIX	9	LUPRON	4
Latanoprost*	19	LURIDE	16
Ledipasvir-Sofosbuvir*	3	LYSODREN	4
LESCOL	9	MAALOX	12
Letrozole*	4	MACROBID	13
LEUCOVORIN	17	Magnesium Citrate*	11
Leucovorin Calcium*	17	MAKENA	5
LEUKERAN	3	MANDELAMINE	13
Leuprolide	4	MATULANE	4
LEVAQUIN	1	MAVYRET	3
Levofloxacin*	1	MAXAIR AUTOHALER	10
Levonorgestrel & Ethinyl Estradiol*	5	MAXALT	15
Levonorgestrel*	5	MAXITROL	19
Levonorgestrel-Eth Estradiol*	5	MAXZIDE	9
Levonorgestrel-Ethinyl Estradiol	5	MEBARAL	13
Levonorgestrel-Ethinyl Estradiol*	5	MECLIZINE	12
Levothyroxine*	6	Meclizine*	12
LEVOXYL, SYNTHROID	6	MEDROL	4
LEVSIN	12	Medroxyprogesterone	5
LEVSINEX	13	Medroxyprogesterone Acetate	5
LIDOCAINE	15	Medroxyprogesterone*	5
LIDOCAINE VISCOUS	20	MEGACE	4
Lidocaine viscous*	20	Megestrol*	4
Lidocaine*	15	Meloxicam*	14
Lidocaine/Prilocaine	15	Melphalan	3
LIDODERM PATCHES	15	Memantine	18
LINDANE	20	MENEST	5
Lindane*	20	Meperidine*	14
Liothyronine*	6	Mephobarbital	13
LIPITOR	9	Mephyton	16
LIPOFEN, TRIGLIDE	9	Mercaptopurine*	4
Liraglutide	6	Mesalamine	12
Lisinopril & HCTZ*	8	Mesalamine*	12
Lisinopril*	8	MESTINON	16
LO LOESTRIN FE	5	METAMUCIL	11
Lodoxamide Tromethamine	18	Metformin*	6
LOESTRIN	5	METHADONE	14
LOFIBRA	9	Methadone*	14
LOMOTIL	11	METHAZOLAMIDE	8
Lomustine	4	Methazolamide*	8
Loperamide*	11	Methenamine Mandelate*	13
LOPID	9	METHERGINE	6
Lopinavir / Ritonavir	3	Methimazole*	6
LOPRESSOR	7	Methocarbamol w/ Aspirin*	16
LOPRESSOR HCT	8	METHOCARBAMOL w/ASA	16
LORABID SUSPENSION	1	Methocarbamol*	15
Loracarbef	1	Methotrexate	4
Loratadine / Pseudoephedrine*	10	Methotrexate*	15
Loratadine*	10	METHYCLOTHIAZIDE	9
Losartan potassium*	8	Methyclothiazide*	9

<u>Product Name</u>	<u>Page</u>	<u>Product Name</u>	<u>Page</u>
Losartan potassium/HCTZ*	8	MYLANTA	12
LOSEASONIQUE	5	MYLERAN	3
LOTENSIN	8	MYSOLINE	15
Lyleq	5	MYSOLINE	18
METHYLDOPA	8	Nafarelin	7
METHYLDOPA & HCTZ	8	NALFON	14
Methyldopa & HCTZ*	8	NAMENDA	18
Methyldopa*	8	NAPHAZOLINE	19
Methylergonovine*	6	Naphazoline*	19
Methylprednisolone*	4	NAPROSYN	14
Methyltestosterone	4	Naproxen Sodium*	14
Metoclopramide*	12	Naproxen*	14
Metolazone*	9	NASACORT AQ	10
Metoprolol & HCTZ*	8	NASALCROM	10
Metoprolol Succinate*	7	NASALIDE	10
Metoprolol Tartrate*	7	NASONEX	10
METROGEL	19	NATAZIA	5
METROGEL-VAGINAL	13	NEOMYCIN	2
Metronidazole*	2	NEOMYCIN	19
Metronidazole*	13	Neomycin Sulfate*	2
Metronidazole*	19	NEOMYCIN-BAC ZN-POLYMYXIN	18
MEVACOR	9	Neomycin-Bac Zn-Polymyxin*	18
MEXILETINE	8	Neomycin-Bacitracin-Polymyxin*	19
Mexiletine*	8	Neomycin-Polymy-Gramicidin*	18
MIACALCIN INJ	6	Neomycin-Polymyxin-Dexamethasone*	19
MIACALCIN NASAL	6	Neomycin-Polymyxin-HC*	19
Miconazole*	2	NEORAL	21
Miconazole*	13	NEOSPORIN	18
MICRO-K	16	NEOSPORIN	19
Milnacipran	16	NEPHROCAPS	16
MINIPRESS	8	NEUPOGEN	17
MINOXIDIL	8	NEXAVAR	4
Minoxidil*	8	NEXIUM 24 HR OTC	12
Mirabergon	13	NIACIN	9
MIRALAX	11	NIACIN	16
MIRCETTE	5	Niacin & Lovastatin	9
Mitotane	4	Niacin CR*	9
MOBIC	14	Niacin*	9
MODICON, BREVICON	5	Niacin-Simvastatin	9
Mometasone furoate	10	NIASPAN	9
MONISTAT	2	Nifedipine*	7
MONISTAT	13	NITRODUR,NITROBID	7
MONISTAT	20	Nitrofurantoin Macrocrystals*	13
Montelukast Sodium*	11	Nitrofurantoin*	13
MORPHINE SULFATE	14	Nitroglycerin (oral)*	7
Morphine Sulfate SR*	14	Nitroglycerin (topical)*	7
Morphine Sulfate*	14	NITROSTAT	7
MOTRIN	14	NIX	20
Moxifloxacin Hydrochloride	18	NIZORAL	2
Moxifloxacin*	1	NORDETTE, AVIANE	5
MS CONTIN	14	Norelgestromin-Ethinyl Estradiol*	5
MUCOMYST	10	Norethindrone & Ethinyl Estrad FE*	5
Multiple Vitamin w/ Minerals*	16	Norethindrone Ace-Ethinyl Estrad FE*	5
Multiple Vitamin*	16	Norethindrone Ace-Ethinyl Estrad*	5
Mupirocin*	19	Norethindrone Acetate*	5
MYAMBUTOL	2	Norethindrone Ac-Ethinyl Estrad FE*	5

## ProCare / Jai Medical Systems Therapeutic Formulary

<u>Product Name</u>	<u>Page</u>	<u>Product Name</u>	<u>Page</u>
MYBETRIQ	13	Norethindrone*	5
MYCELEX	13	Pancrelipase (Lip-Prot-Amyl)	12
MYCOBUTIN	2	Pancrelipase (Lip-Prot-Amyl) DR	12
Mycophenolate Mofetil*	21	Pantoprazole*	12
Mycophenolate Sodium*	21	PARLODEL	15
MYDFRIN	19	PATADAY	18
MYFORTIC	21	PATANOL	18
Norethindrone-Ethinyl Estradiol FE	5	PEDIA RELIEF LIQ COUGH/COLD	11
Norethindrone-Ethinyl Estradiol*	5	PEDIALYTE	16
Norethindrone-Mestranol	5	PEDIAPRED	4
Norgestimate-Ethinyl Estradiol*	5	Pediatric Multivitamins w/Fluoride	16
Norgestrel-Ethinyl Estradiol*	5	Pediatric Multivitamins w/Fluoride*	16
NORINYL, NECON	5	Pediatric Multivitamins w/Iron*	16
NORPACE, CR	8	Pediatric Multivitamins*	16
NOR-QD, ORTHO MICRON	5	Pediatric Vitamin ADC w/Iron*	16
NORVASC	7	Pediatric Vitamin ADC*	16
NOVOLIN 70/30	6	PEDIATRIC VITAMINS	16
HUMLIN N, NOVOLIN N	6	Pediatric Vitamins*	16
HUMLIN R, NOVOLIN R	6	PEG-Electrolyte*	11
NOVOLOG	6	Peginterferon	3
Nutritional Supplements	17	PEG-INTRON, PEGASYS	3
NUVARING	5	Penicillamine	21
Nylia 7/7/7	5	Penicillin G Benzathine	1
NYSTATIN	13	PENICILLIN V POTASSIUM	1
NYSTATIN TAB	2	Penicillin V Potassium*	1
Nystatin*	2	PENTASA	12
Nystatin*	13	Pentoxifylline*	18
Nystatin*	19	PEPCID	12
NYSTATIN-TRIAMCINOLONE	20	PEPTO-BISMOL	11
Nystatin-Triamcinolone*	20	PERCOCET	14
Octreotide Acetate*	11	PERIOGARD	2
OCUFEN	19	Permethrin*	20
OCUFLOX	18	PERSANTINE	7
Odefsey	3	PERTZYE	12
Ofloxacin	18	Phenazopyridine*	13
Ofloxacin*	19	PHENOBARBITAL	13
Olodaterol	10	Phenobarbital*	13
Olopatadine HCL Ophth soln 0.1%	18	Phenylephrine*	19
Olopatadine HCL Ophth soln 0.2%	18	Phenylephrine*	11
Omega-3-acid ethyl esters*	9	PHENYL-FREE	17
Omeprazole*	12	Phenyl-Free*	17
Ondansetron*	12	Phenytoin*	15
ONE-A-DAY	16	PHOSLO	16
ORACIT	13	Pilocarpine*	19
ORACIT	16	Pimecrolimus	20
Oral Electrolytes Packets*	16	PIN - X	2
Oral Electrolytes*	16	Pioglitazone*	6
ORAPRED	4	Pioglitazone-Glimepiride*	6
ORTHO EVRA PATCH	5	Pioglitazone-Metformin SR	6
ORTHO NOVUM 7/ 7/ 7	5	Pioglitazone-Metformin*	6
ORTHO TRI-CYCLEN / LO	5	Pirbuterol	10
ORTHO-CYCLEN	5	Piroxicam*	14
OS-CAL	12	PLAN B	5
OS-CAL	16	PLAN B ONE STEP	5
Oseltamivir Phosphate	2	PLAQUENIL	1
OXACILLIN	1	PLAVIX	18

<u>Product Name</u>	<u>Page</u>	<u>Product Name</u>	<u>Page</u>
Oxacillin*	1	PLETAL	18
Oxybutynin*	13	Propranolol & HCTZ*	8
OXYCODONE	14	Propranolol*	7
Oxycodone CR*	14	PROPYLTHIOURACIL	6
Oxycodone w/ Acetaminophen*	14	Propylthiouracil*	6
Oxycodone*	14	PROSCAR	13
OXYCONTIN	14	PROTONIX	12
Palivizumab	3	PROTOPIC	20
PANCREAZE, PANCRELIPASE	12	PROVENTIL HFA, VENTOLIN HFA,	10
Podofilox*	20	PROVERA	5
Polycarbophil Calcium*	11	PSEUDOEPHED-BROMPHEN DM	11
Polyethylene Glycol powder*	11	PSEUDOEPHEDRINE	10
Polymyxin B-Trimethoprim*	18	Pseudoephedrine HCL*	11
POLYSPORIN	18	Pseudoephedrine-Bromphen-DM*	11
POLYTRIM	18	Pseudoephedrine-Chlorphen-DM*	11
POLY-VI-SOL	16	Pseudoephedrine-DM liquid*	11
POLY-VI-SOL / IRON	16	PSEUDOEPHEDRINE-DM SOLN	11
Potassium Chloride Capsule*	16	Pseudoephedrine-DM soln*	11
POTASSIUM CHLORIDE LIQUID	16	Pseudoephedrine-GG*	11
Potassium Chloride Liquid*	16	PSEUDO-G / PSI	11
Potassium Chloride Tablet*	16	Psyllium*	11
PRADAXA	17	PULMICORT FLEXHALER	10
PRANDIN	6	PULMICORT RESPULES	10
PRAVACHOL	9	PURINETHOL	4
Pravastatin*	9	Pyrantel Pamoate*	2
Prazosin*	8	PYRAZINAMIDE	2
PRECOSE	6	Pyrazinamide*	2
PRED FORTE, MILD	18	PYRIDIUM	13
Prednisolone Acetate	4	Pyridostigmine*	16
Prednisolone Acetate*	18	Pyrimethamine	1
Prednisolone Na Phosphate*	4	QUESTRAN, LIGHT	9
Prednisolone*	4	Quinapril*	8
PREDNISONONE	4	QUINIDINE SULFATE	8
Prednisone*	4	Quinidine Sulfate*	8
PRELONE	4	QVAR	10
PREMARIN	5	Rabeprazole*	12
PREMPRO	5	Raloxifene*	7
PRENATABS RX	16	Raltegravir	3
Prenatal MV & Min w/FE-FA*	16	Ramipril*	8
Prenatal Vitamins*	16	Ranitidine*	12
PRENATAL-1	16	RAPAMUNE	21
PREVACID	12	RAZADYNE / RAZADYNE ER	18
PREVACID SOLU-TAB	12	REBETOL	3
PREZCOBIX	3	REBIF	4
PREZISTA	3	RECOMBINATE	17
PRILOSEC OTC	12	REGLAN	12
Primidone*	15	RELENZA	2
PROAIR HFA	10	Repaglinide	6
PROBENECID	15	REPATHA	9
Probenecid*	15	REQUIP	15
PROCAINAMIDE	8	RESERPINE	8
Procaïnamide*	8	Reserpine*	8
Procarbazine	4	RETIN-A	20
PROCHLORPERAZINE	12	RETROVIR	3
Prochlorperazine*	12	REVATIO	7
PROCTOCREAM	19	Reyataz	3

<u>Product Name</u>	<u>Page</u>	<u>Product Name</u>	<u>Page</u>
PROGRAF	21	RHEUMATREX	4
PROMETHAZINE	10	RHEUMATREX	15
Promethazine*	10	Sorafenib	4
Propafenone*	8	Sotalol*	7
PROPANTHELINE BROMIDE	12	SPIRIVA	10
Propantheline Bromide*	12	Spirolactone & HCTZ*	9
PROPOXYPHENE W/ APAP	14	Spirolactone*	9
Propoxyphene w/ APAP*	14	SPORANOX	2
PROPRANOLOL & HCTZ	8	STIOLTO	10
Ribavirin*	3	Stribild	3
Rifabutin*	2	STRIVERDI	10
RIFADIN	2	STROMECTOL	2
Rifampin*	2	Succimer	21
RILUTEK	16	Sucralfate*	12
Riluzole*	16	SUDAFED	11
Risedronate	7	SULFACETAMIDE SODIUM	20
Rivastigmine*	18	Sulfacetamide Sodium*	20
Rizatriptan tablets*	15	Sulfacetamide Sod-Prednisolone*	19
ROBAXIN	15	SULFADIAZINE	2
ROCALTROL	16	Sulfadiazine*	2
ROCEPHIN	1	Sulfanilamide	13
ROFERON-A	4	Sulfasalazine*	2
ROMYCIN	18	SULFISOXAZOLE	2
Ropinirole*	15	Sulfisoxazole*	2
Rosuvastatin Calcium	9	SULINDAC	14
ROWASA	12	Sulindac*	14
ROXICODONE	14	Sumatriptan injection*	15
RYTHMOL	8	Sumatriptan nasal*	15
Sacubitril & Valsartan	9	Sumatriptan tablets*	15
SAFYRAL, BEYAZ	5	Sumatriptan-naproxen	15
Salmeterol	10	SUMYCIN	1
Salmeterol-Fluticasone	10	SUPRAX	1
Salsalate*	14	SUSP, ALLEGRA ODT	10
SANDOSTATIN	11	Sustiva	3
SANTYL	20	SYMBICORT	10
SAVELLA	16	Symtuza	3
SEASONIQUE,QUARTETTE	5	SYNAGIS	3
Selegiline*	15	SYNALAR	20
Semglee	6	SYNAREL	7
SENNA-S	11	TABLOID	4
Sennosides*	11	Tacrolimus oint*	20
Sennosides/Docustate*	11	Tacrolimus*	21
SENOKOT	11	TAMBOCOR	8
SEREVENT DISKUS	10	TAMIFLU	2
SEROMYCIN	2	TAMOXIFEN	4
Sildenafil Citrate	7	Tamoxifen*	4
SILVADENE	20	Tamsulosin*	8
Silver Sulfadiazine*	20	TAPAZOLE	6
SIMCOR	9	TARCEVA	4
Simvastatin*	9	TAVIST	11
SINEMET, CR	15	TECFIDERA	21
SINGULAIR	11	TEMOVATE	20
Sirolimus*	21	TENEX	8
Sitagliptin Phosphate	6	Tenofovir	3
Sodium Citrate & Citric Acid*	13	TENORETIC	8
Sodium Fluoride*	16	TENORMIN	7

<u>Product Name</u>	<u>Page</u>	<u>Product Name</u>	<u>Page</u>
Sodium Polystyrene Sulfonate*	21	TERAZOSIN	8
Sodium Sulfacetamide*	18	Terazosin*	8
Sofosbuvir-Velpatasvir*	3	Thyquidity	6
Sofosbuvir-Velpatasvir-Voxilaprevir	3	Tri-Nymyo	5
Solifenacin	13	TRULICITY	6
SOLUTION	10	TROSPIUM	13
Somatropin	7	Trospium*	13
Terbinafine*	2	TRUSOPT	19
Teriflunomide	21	TRUVADA	3
Teriparatide	7	TUDORZA PRESSAIR	10
TESSALON, TESSALON PERLES	11	TYLENOL	14
Testosterone Gel	4	TYLENOL / CODEINE	14
Tetracycline*	1	ULTRACET	14
THEO-24, THEOCHRON	11	ULTRAM	14
Theophylline*	11	ULTRAM ER	14
Thiamine	17	Umeclidinium-Vilanterol	10
Thioguanine	4	URAMAXIN GEL 45%	20
THROMBATE III	17	Urea 45%*	20
Thrombin	17	Urea*	20
THYROID	6	URECHOLINE	13
Thyroid*	6	Valsartan	8
TIMOLOL	7	Valsartan & HCTZ*	8
Timolol*	7	VASOTEC	8
Timolol*	18	Verapamil*	7
Tiotropium	10	VESICARE	13
Tiotropium-Olodaterol	10	VIBRAMYCIN	1
TIVICAY	3	VICODIN, LORTAB, NORCO	14
TOBRADEX	19	VICTOZA	6
Tobramycin-Dexamethasone*	19	VIGAMOX	18
Tolterodine Tartrate	13	VIOKACE	12
TOPROL XL	7	VIREAD	3
TOUJEO	6	VIROPTIC	18
TOVIAZ	13	VITAMIN A	16
Tramadol ER*	14	Vitamin A*	16
Tramadol*	14	VITAMIN B-12	17
Tramadol/APAP*	14	VITAMIN D3	16
TRANDATE	7	VITAMIN K	16
TRECATOR	2	VIVONEX	17
TRENTAL	18	VOLTAREN	14
Tretinoin*	20	VOLTAREN	19
TREXIMET	15	VOLTAREN	20
TRIAM. ACET. IN ORABASE	20	VOSEVI	3
Triamcinolone	10	VYTORIN	9
Triamcinolone Acetonide in Orabase*	20	Warfarin Sodium*	17
Triamcinolone Acetonide*	20	XALATAN	19
Triamcinolone*	10	XELODA	4
TRIAMINIC AM LIQ CGH/DECON	11	XODOL	14
Triamterene & HCTZ*	9	YASMIN, YAZ	5
TRICOR	11	ZADITOR	18
Trifluridine*	18	Zanamivir	2
TRILIPIX	9	ZANTAC	12
TRIMETHOPRIM	2	ZARONTIN	15
Trimethoprim*	2	ZAROXOLYN	9
Trimethoprim/Sulfamethoxazole*	2	ZEPATIER	3
TRIPLE SULFAS VAGINAL	13	ZESTORETIC	8
Triple Sulfas Vaginal*	13	ZESTRIL	8



ProCare / Jai Medical Systems Therapeutic Formulary

<u>Product Name</u>	<u>Page</u>	<u>Product Name</u>	<u>Page</u>
TRIUMEQ	3	ZETIA	9
TRI-VI-FLOR	16	Ziagen	3
TRI-VI-FLOR / IRON	16	Zidovudine	3
TRI-VI-SOL	16	ZITHROMAX	1
TRI-VI-SOL / IRON	16	ZOCOR	9
TRIVORA	5		
Trizivir	3		
ZOCOR	9		
ZOFRAN	12		
ZOFRAN ODT	12		
Zolmitriptan tablets*	15		
ZOMIG	15		
ZORPRIN	14		
ZOVIA	5		
ZOVIRAX	3		
ZOVIRAX	20		
ZYLOPRIM	15		
ZYMAXID	18		
ZYRTEC	10		